



Kellogg

Mammal Catalogue

Remington Kellogg

1915

Field notes carried to No. 1118

No.	Sex	Name	Locality	Date	Total length	Tail	Hind foot	Remarks
207645	♂	<i>Microtus drummondii</i>	Wahpeton, North Dakota	June 6, 1915	148	41	20	Edge of Prairie
207646	♂	<i>Microtus pennsylvanicus</i>	Wahpeton, North Dakota	June 6, 1915	134	30	20	In timber
207647	♀	<i>Microtus drummondii</i>	Wahpeton, North Dakota	June 6, 1915	155	36	19	In Prairie along edge of Swamp. <sup>6 embryos</sup> <sup>2 pectoral</sup> <sup>2 inguinal</sup>
207450	♀	<i>Peromyscus maniculatus bairdi</i>	Wahpeton, North Dakota	June 6, 1915	111	36	17.5	In timber
207448	♂	<i>Mus musculus musculus</i>	Wahpeton, North Dakota	June 6, 1915	162	78	18	Edge of Prairie
207661	♂	<i>Zapus princeps intermedius</i>	Wahpeton, North Dakota	June 7, 1915	191	110	27	Swamp grass around stump in patch timber near swamp.
207458	♀	<i>Sciurus hudsonicus hudsonicus</i>	Wahpeton, North Dakota	June 7, 1915	331	128	48	in timber along river.
207459	♀	<i>Sciurus hudsonicus hudsonicus</i>	Wahpeton, North Dakota	June 7, 1915	322	126	49	in timber on island.
207648	♂	<i>Microtus drummondii</i>	Wahpeton, North Dakota	June 7, 1915	166	41	19	prairie near cemetery.
207656	♀	<i>Blarina brevicauda</i>	Wahpeton, North Dakota	June 7, 1915	136	28	16	edge of prairie.
207666	♂	<i>Blarina brevicauda</i>	Wahpeton, North Dakota	June 7, 1915	141	27	17	edge of prairie.
207446	♂	<i>Blarina brevicauda</i>	Wahpeton, North Dakota	June 7, 1915	139	28	16.5	edge of prairie near cemetery.
207667	♂	<i>Blarina brevicauda</i>	Wahpeton, North Dakota	June 7, 1915	141	26	16	edge of prairie near swamp.
207451	♀	<i>Peromyscus m. bairdi</i>	Wahpeton, North Dakota	June 8, 1915	158	59	19	edge of prairie near swamp.
207668	♀	<i>Blarina brevicauda</i>	Wahpeton, North Dakota	June 8, 1915	138	26	17	edge of prairie near swamp.
207437	♀	<i>Microtus drummondii</i>	Wahpeton, North Dakota	June 8, 1915	131	32	19.5	prairie
207447	♂	<i>Blarina brevicauda</i>	Wahpeton, North Dakota	June 8, 1915	127	25	16.5	prairie
207649	♂	<i>Microtus pennsylvanicus</i>	Wahpeton, North Dakota	June 9, 1915	147	34	19	in timber
207438	♂	<i>Microtus drummondii</i>	Wahpeton, North Dakota	June 9, 1915	136	33	19	on prairie near cemetery.
209833	♂	<i>Blarina brevicauda</i>	Wahpeton, North Dakota	June 9, 1915	144	26	17.5	on prairie.
207662	♂	<i>Zapus h. campestris</i>	Wahpeton, North Dakota	June 9, 1915	201	118	29	swamp grass around stump in patch of timber near swamp
207460	♀	<i>Sciurus h. hudsonicus</i>	Grafton, North Dakota	June 10, 1915	316	120	48	in timber along Park river
207641	♀	<i>Sciurus h. hudsonicus</i>	Grafton, North Dakota	June 11, 1915	342	136	47	in timber along Park river
207462	♀	<i>Sciurus h. hudsonicus</i>	Grafton, North Dakota	June 11, 1915	337	138	49	in timber along Park river
207463	♂	<i>Sciurus h. hudsonicus</i>	Grafton, North Dakota	June 11, 1915	351	144	51	in timber along Park river

207464	26	♀	Sciurus h. hudsonicus	Grafton, North Dakota
207465	27	♀	Sciurus h. hudsonicus	Grafton, North Dakota
207452	28	♀	Peromyscus m. bairdi	Grafton, North Dakota
207449	29	♀	Lasionycteris noctivagans	Grafton, North Dakota
207500	30	♂	Tamias striatus griseus	Grafton, North Dakota
207442	31	♂	Erotomys g. loringi	Grafton, North Dakota
207453	32	♂	Peromyscus m. bairdi	Grafton, North Dakota
207439	33	♀	Microtus drummondii	Grafton, North Dakota
207443	34	♀	Erotomys g. loringi	Grafton, North Dakota
207657	35	♀	Erotomys g. loringi	Grafton, North Dakota
207454	36	♀	Peromyscus m. bairdi	Grafton, North Dakota
207466	37	♀	Sciurus h. hudsonicus	Grafton, North Dakota
207658	38	♂	Erotomys g. loringi	Grafton, North Dakota
207650	39	♀	Microtus drummondii	Grafton, North Dakota
207444	40	♀	Erotomys g. loringi	Grafton, North Dakota
207445	41	♂	Erotomys g. loringi	Grafton, North Dakota
207440	42	♂	Microtus drummondii	Grafton, North Dakota
207441	43	♀	Microtus drummondii	Grafton, North Dakota
207455	44	♂	Peromyscus m. bairdi	Grafton, North Dakota
207456	45	♂	Peromyscus m. bairdi	Grafton, North Dakota
207457	46	♀	Peromyscus m. bairdi	Grafton, North Dakota
207467	47	♂	Sciurus h. hudsonicus	Grafton, North Dakota
207468	48	♀	Sciurus h. hudsonicus	Grafton, North Dakota
207472	49	♂	Tamias s. griseus	Grafton, North Dakota
207469	50	♂	Thomomys t. rufescens	Grafton, North Dakota

June 11, 1915	348	142	48	in timber along Park river
June 11, 1915	325	134	48	in timber along Park river
June 11, 1915	171	66	18	under brush heap along river
June 11, 1915	105	42		in pile of fence posts
June 11, 1915	214	86	35	on stump in timber
June 11, 1915	139	34	19	under dead log
June 11, 1915	147	51	19	under pile of brush
June 12, 1915	159	42	21	in runway in grass
June 12, 1915	143	40	17	under brush pile
June 12, 1915	146	32	17.5	under brush pile
June 12, 1915	164	62	20	under brush pile
June 12, 1915	320	122	46	in timber along Park river
June 13, 1915	143	35	17	under brush pile
June 13, 1915	159	39	20	in runway in burham grass
June 13, 1915	124	31	17.5	beside rotten log
June 13, 1915	115	26	17.5	under brush pile
June 13, 1915	177	45	26	in runway in burham grass
June 13, 1915	122	31	18	in runway in burham grass
June 13, 1915	153	52	19	under brush pile
June 13, 1915	148	57	19	under brush pile
June 13, 1915	165	65	19	under brush pile
June 13, 1915	331	131	49	in timber along Park river
June 13, 1915	330	137	51	in timber along Park river
June 13, 1915	273	100	39	in timber along Park river
June 14, 1915	241	57	30	in timothy field

Kellogg

Field notes carded to No. 1118

207470	51 ♀	<sup>Thomomys talpei. rufescens</sup> Thomomys t. rufescens	Grafton, North Dakota	June 14, 1915	211	48	29	in partially cleared field
207471	52 ♂	<sup>Thomomys talpei. rufescens</sup> Thomomys t. rufescens	Grafton, North Dakota	June 14, 1915	232	59	29	in partially cleared field
207473	53 ♀	Tamias s. griseus	Grafton, North Dakota	June 14, 1915	268	99	35	in timber along Park river
207659	54 ♀	Erotomys g. loringi	Grafton, North Dakota	June 14, 1915	135	32	28	under brush pile
207708	55 ♂	Mephitis hudsonica	Grafton, North Dakota	June 14, 1915	735	279	96	under barn
207407	56 ♀	Marmota m. rufescens	Grafton, North Dakota	June 14, 1915	531	138	74	in hole in bank of Park river
207326	57 ♂	<sup>Thomomys talpei. rufescens</sup> Thomomys t. rufescens	Drayton, North Dakota	June 16, 1915	233	54	30	in millet field
207327	58 ♂	<sup>Thomomys talpei. rufescens</sup> Thomomys t. rufescens	Drayton, North Dakota	June 16, 1915	250	64	34	in millet field
207328	59 ♂	<sup>Thomomys talpei. rufescens</sup> Thomomys t. rufescens	Drayton, North Dakota	June 16, 1915	261	76	36	in millet field
207625	60 ♀	Citellus r. richardsonii	Drayton, North Dakota	June 16, 1915	273	77	47	in pasture
207626	61 ♀	Citellus r. richardsonii	Drayton, North Dakota	June 16, 1915	248	71	43	in pasture
207627	62 ♀	Citellus r. richardsonii	Drayton, North Dakota	June 16, 1915	284	87	48	in pasture
207628	63 ♀	Citellus r. richardsonii	Drayton, North Dakota	June 16, 1915	319	98	46	in pasture
207629	64 ♀	Citellus r. richardsonii	Drayton, North Dakota	June 16, 1915	261	68	43	in pasture
207630	65 ♀	Citellus r. richardsonii	Drayton, North Dakota	June 16, 1915	265	76	45	in pasture
207325	66 ♂	Citellus t. tridecemlineatus	Drayton, North Dakota	June 17, 1915	293	99	40	in millet field
207329	67 ♀	Microtus drummondii	Drayton, North Dakota	June 17, 1915	156	43	21	edge of prairie
207330	68 ♂	Microtus drummondii	Drayton, North Dakota	June 17, 1915	143	37	20	edge of prairie
207700	69 ♀	Microtus drummondii	Drayton, North Dakota	June 18, 1915	148	38	19	edge of prairie
207331	70 ♂	Microtus drummondii	Drayton, North Dakota	June 18, 1915	161	39	20	edge of prairie
207334	71 ♂	Peromyscus l. ...	Manvel, North Dakota	June 20, 1915	182	73	22	under brush pile along turtle river
207332	72 ♂	Erotomys g. loringi	Manvel, North Dakota	June 20, 1915	131	34	18	under brush pile along turtle river
207323	73 ♂	Tamias s. griseus	Manvel, North Dakota	June 20, 1915	267	98	37	on tree stump.
207635	74 ♀	Sciurus h. hudsonicus	Manvel, North Dakota	June 20, 1915	346	152	47	in timber along turtle river
207324	75 ♀	Tamias s. griseus	Manvel, North Dakota	June 20, 1915	285	119	38	on dead tree

207637	77	♀	<i>Geomys bursarius</i>	Manvel, North Dakota	June 21, 1915	270	71	33	along railroad embankment
207333	77	♂	<i>Erotomys g. loringi</i>	Manvel, North Dakota	June 21, 1915	129	29	19	under brush pile along turtle river
207631	78	♀	<i>Citellus richardsonii</i>	Larimore, North Dakota	June 23, 1915	317	81	43	in pasture
207632	79	♂	<i>Citellus richardsonii</i>	Larimore, North Dakota	June 23, 1915	296	79	45	in pasture
207636	80	♀	<i>Sciurus h. hudsonicus</i>	Larimore, North Dakota	June 23, 1915	318	103	52	in timber near turtle river
207639	81	♀	<i>Tamias s. griseus</i>	Larimore, North Dakota	June 23, 1915	243	90	33	in timber near turtle river
207640	82	♀	<i>Tamias s. griseus</i>	Larimore, North Dakota	June 23, 1915	262	102	35	in timber near turtle river
207651	83	♂	<i>Microtus drummondii</i>	Larimore, North Dakota	June 24, 1915	133	34	19	in swamp grass
207663	84	♂	<i>Zapus princeps minor</i>	Larimore, North Dakota	June 25, 1915	212	121	29	in swamp grass
207664	85	♂	<i>Zapus princeps minor</i>	Larimore, North Dakota	June 25, 1915	213	118	28	in swamp grass
207652	86	♂	<i>Microtus drummondii</i>	Larimore, North Dakota	June 25, 1915	179	47	21	in swamp grass
207653	87	♂	<i>Microtus drummondii</i>	Larimore, North Dakota	June 25, 1915	166	41	20	in swamp grass
207654	88	♂	<i>Microtus drummondii</i>	Larimore, North Dakota	June 25, 1915	146	39	20	in swamp grass
207641	89	♂	<i>Tamias s. griseus</i>	Larimore, North Dakota	June 25, 1915	278	107	35	in timber near turtle river
207642	90	♂	<i>Tamias s. griseus</i>	Larimore, North Dakota	June 25, 1915	266	97	36	in timber near turtle river
207643	91	♀	<i>Tamias s. griseus</i>	Larimore, North Dakota	June 25, 1915	241	98	35	in timber near turtle river
207644	92	♂	<i>Tamias s. griseus</i>	Larimore, North Dakota	June 25, 1915	267	105	36	in timber near turtle river
207633	93	♀	<i>Citellus franklinii</i>	Larimore, North Dakota	June 26, 1915	395	147	55	edge of wheat field in abandoned skunk den
207634	94	♀	<i>Citellus franklinii</i>	Larimore, North Dakota	June 26, 1915	378	136	51	edge of wheat field
207638	95	♂	<i>Thomomys t. rufescens</i> <small>Thomomys talpoides rufescens</small>	Larimore, North Dakota	June 26, 1915	206	49	29	in high place in swampy land
207665	96	♂	<i>Zapus hudsonius campestris</i> <small>Zapus princeps minor</small>	Larimore, North Dakota	June 26, 1915	220	124	30	in swamp grass
207660	97	♂	<i>Erotomys g. loringi</i>	Larimore, North Dakota	June 26, 1915	142	34	19	under brush pile in timber near turtle river
207655	98	♂	<i>Microtus drummondii</i>	Larimore, North Dakota	June 26, 1915	146	39	20	in swamp grass.
207702	99	♀	<i>Zapus hudsonius campestris</i> <small>Zapus princeps minor</small>	Larimore, North Dakota	June 27, 1915	216	122	28	in swamp grass.
207697	100	♀	<i>Sylvilagus floridanus similis</i>	Larimore, North Dakota	June 28, 1915	433	41	93	caught in trap set in old fox den

Field notes carded to No. 1118

207703	101	♂	<sup>princeps minor</sup> <del>Zapus hudsonius campestris</del>	Larimore, North Dakota	June 28, 1915	210	113	30	in swamp grass.
207698	102	♂	Sylvilagus floridanus similis	Larimore, North Dakota	June 29, 1915	425	40	162	in willow thicket near road
207701	103	♂	Microtus drummondii	Larimore, North Dakota	June 29, 1915	136	34	20	in swamp grass.
207706	104	♂	Marmota m. rufescens	Larimore, North Dakota	June 30, 1915	380	103	69	in timber along Turtle river
207699	105	♂	Thomomys talpoi. rufescens Thomomys t. rufescens	Larimore, North Dakota	June 30, 1915	211	59	29	in wheat field
208173	106	♂	Thomomys t. rufescens	Tokio, North Dakota	July 3, 1915	185	47	27	in pasture near swamp
208183	107	♂	Microtus drummondii	Tokio, North Dakota	July 3, 1915	120	31	18	in swamp grass near Spring Lake.
208155	108	♀	Ondatra z. cinnamomina	Wood Lake, North Dakota	July 5, 1915	560	255	78	on pile cut reeds on lake
208160	109	♀	Citellus franklinii	Spring Lake, North Dakota	July 7, 1915	364	137	52	in pasture
208236	110	♂	Peromyscus m. nebracensis	Spring Lake, North Dakota	July 8, 1915	134	51	19	in pile of granite boulders
208177	111	♂	Erotomys g. Loringi	Spring Lake, North Dakota	July 9, 1915	130	32	18	in pile of boulders in willow brush
208237	112	♀	Peromyscus m. nebracensis	Spring Lake, North Dakota	July 9, 1915	164	63	19	under barn.
208152	113	♂	Mephitis hudsonica	Spring Lake, North Dakota	July 9, 1915	496	201	72	along shore of lake
	114	♂	Canis latrans	Fort Totten, North Dakota	July 11, 1915	1193	380	205	shot by farmer, skin was sold for bounty.
208184	115	♂	Microtus pennsylvanicus	Fort Totten, North Dakota	July 13, 1915	175	43	20	in swamp grass.
208238	116	♀	Peromyscus m. bairdi	Fort Totten, North Dakota	July 13, 1915	143	53	19	in timber under roots of tree.
208239	117	♂	Peromyscus m. bairdi	Fort Totten, North Dakota	July 13, 1915	152	61	19	in timber under stump.
208178	118	♂	Erotomys g. Loringi	Fort Totten, North Dakota	July 13, 1915	132	29	18	in timber under stump.
208240	119	♀	Peromyscus m. bairdi	Fort Totten, North Dakota	July 13, 1915	167	65	19	in timber under stump.
208214	120	♀	Sorex <sup>arivo uti</sup> <del>richardsoni</del>	Fort Totten, North Dakota	July 13, 1915	116	40	15	in swamp grass
208225	121	♂	Zapus princeps minor	Fort Totten, North Dakota	July 14, 1915	225	127	30	in swamp grass
208226	122	♀	Zapus <sup>princeps minor</sup> h. campestris	Fort Totten, North Dakota	July 14, 1915	230	137	30	in swamp grass
208179	123	♂	Erotomys g. Loringi	Fort Totten, North Dakota	July 14, 1915	129	35	17	in timber under roots of tree
208241	124	♂	Peromyscus m. bairdi	Fort Totten, North Dakota	July 14, 1915	151	57	19	in timber under stump.
208227	125	♂	Zapus <sup>princeps minor</sup> h. campestris	Fort Totten, North Dakota	July 15, 1915	219	129	31	in swamp grass

208228	126	♂	Zapus <sup>princeps minor</sup> h. campestris ✓	Fort Totten, North Dakota	July 15, 1915	181	113	30	in swamp grass
	127	♂	Myotis <sup>l. lucifugus</sup> lucifugus	Fort Totten, North Dakota	July 15, 1915	256	98	40	edge of timber
209793	128	♂	Lepus a. americanus	Fort Totten, North Dakota	July 16, 1915				found dead in Sully Hill National Park.
	129	♀	Myotis <sup>l. lucifugus</sup> subulatus	Fort Totten, North Dakota	July 17, 1915	260	100	39	flying around building in evening
208185	130	♀	Microtus drummondii	Fort Totten, North Dakota	July 17, 1915	156	41	20	in swamp
208186	131	♂	Microtus pennsylvanicus	Fort Totten, North Dakota	July 17, 1915	165	44	20	in swamp
208187	132	♂	Microtus pennsylvanicus	Fort Totten, North Dakota	July 17, 1915	162	44	20	in swamp
208229	133	♀	Zapus <sup>princeps minor</sup> princeps minor	Fort Totten, North Dakota	July 17, 1915	229	132	30	in swamp
208230	134	♀	Zapus <sup>princeps minor</sup> h. campestris ✓	Fort Totten, North Dakota	July 17, 1915	223	133	29	in swamp
208231	135	♀	Zapus princeps minor	Fort Totten, North Dakota	July 17, 1915	182	112	30	in swamp.
208161	136	♀	Citellus t. tridecemlineatus	Towner, 8 mi N. North Dakota	July 21, 1915	274	90	37	on prairie
208242	137	♀	Peromyscus m. <sup>bairdi</sup> nebracensis	Towner, 8 mi N. North Dakota	July 22, 1915	160	64	19	in sand dune
208243	138	♂	Peromyscus m. <sup>bairdi</sup> nebracensis	Towner, 8 mi N. North Dakota	July 22, 1915	139	53	19	in sand dune
208244	139	♂	Peromyscus m. <sup>bairdi</sup> nebracensis	Towner, 8 mi N. North Dakota	July 22, 1915	143	59	19	in sand dune
208245	140	♀	Peromyscus m. <sup>bairdi</sup> nebracensis	Towner, 8 mi N. North Dakota	July 22, 1915	140	52	18	in sand dune
208246	141	♂	Peromyscus m. <sup>bairdi</sup> nebracensis	Towner, 8 mi N. North Dakota	July 22, 1915	143	57	21	in sand dune
208247	142	♀	Peromyscus m. <sup>bairdi</sup> nebracensis	Towner, 8 mi N. North Dakota	July 22, 1915	132	52	19	in sand dune
208162	143	♀	Citellus t. tridecemlineatus	Towner, 8 mi N. North Dakota	July 23, 1915	281	96	35	on prairie
208188	144	♂	Microtus p. modestus	Towner, 8 mi N. North Dakota	July 23, 1915	172	45	20	on prairie
208189	145	♂	Microtus p. modestus	Towner, 8 mi N. North Dakota	July 23, 1915	153	33	21	in swamp.
208248	146	♀	Peromyscus m. <sup>bairdi</sup> nebracensis	Towner, 8 mi N. North Dakota	July 23, 1915	155	60	20	in sand dune
207710	147	♂	Taxidea taxus taxus	Towner, 8 mi N. North Dakota	July 24, 1915	832	150	127	in burrow in meadow, weight 25 lbs
208166	148	♂	Sciurus h. hudsonicus	Towner 8 mi N. North Dakota	July 25, 1915	350	145	50	in timber along Mouse river
208156	149	♀	Ondatra z. cinnamomina	Towner 8 mi N. North Dakota	July 25, 1915	560	237	73	in swamp.
208167	150	♀	Sciurus h. hudsonicus	Towner 8 mi N. North Dakota	July 27, 1915	327	140	50	in timber along Mouse river



Field notes carded to No. 1118

208168	151	♀	Sciurus h. hudsonicus	Towner 8 mi. N. North Dakota	July 27, 1915	310	135	49	in timber along Mouse river.
208169	152	♀	Sciurus h. hudsonicus	Towner 8 mi N. North Dakota	July 27, 1915	326	130	50	in timber along Mouse river
208170	153	♀	Sciurus h. hudsonicus	Towner 8 mi N. North Dakota	July 27, 1915	320	119	51	in timber along Mouse river
208153	154	♀	Mephitis hudsonica	Towner 8 mi. N. North Dakota	July 28, 1915	780	273	91	in timber along Mouse river
209783	155	♂	Lepus campestris campestris	Towner 8 mi. N. North Dakota	July 30, 1915	638	108	151	on prairie and sand dunes
207741	156	♀	Castor c. canadensis	Towner 8 mi N. North Dakota	July 30, 1915	1150	400	195	288 x 159 ear 43 wgt 53 lbs. In Mouse River
208171	157	♀	Sciurus h. hudsonicus	Towner 8 mi N. North Dakota	July 31, 1915	331	139	49	in timber along Mouse river
2	158	♀	Myotis l. lucifugus	Towner 8 mi N. North Dakota	Aug 2, 1915	266	96	44	behind barn door in timber along Mouse river
2	159	♀	Myotis l. lucifugus	Towner 8 mi N. North Dakota	Aug 2, 1915	254	96	41	behind barn door in timber along Mouse river
2	160	♀	Myotis l. lucifugus	Towner 8 mi N. North Dakota	Aug 2, 1915	255	93	42	behind barn door in timber along Mouse river
2	161	♂	Myotis l. lucifugus	Towner 8 mi N. North Dakota	Aug 2, 1915	246	93	41	behind barn door in timber along Mouse river
2	162	♀	Myotis l. lucifugus	Towner 8 mi N. North Dakota	Aug 2, 1915	275	100	45	behind barn door in timber along Mouse river
2	163	♀	Myotis l. lucifugus	Towner 8 mi N. North Dakota	Aug 2, 1915	247	85	38	behind barn door in timber along Mouse river
2	164	♀	Myotis l. lucifugus	Towner 8 mi N. North Dakota	Aug 2, 1915	269	96	40	behind barn door in timber along Mouse river Sent in exchg. to Mus. Comp. Zool. July 11, 1930.
2	165	♀	Myotis l. lucifugus	Towner 8 mi N. North Dakota	Aug 2, 1915	267	100	44	behind barn door in timber along Mouse river
2	166	♂	Myotis l. lucifugus	Towner 8 mi N. North Dakota	Aug 2, 1915	252	87	41	behind barn door in timber along Mouse river
2	167	♀	Myotis l. lucifugus	Towner 8 mi N. North Dakota	Aug 2, 1915	254	89	37	behind barn door in timber along Mouse river
2	168	♀	Myotis l. lucifugus	Towner 8 mi N. North Dakota	Aug 2, 1915	257	105	40	behind barn door in timber along Mouse river
2	169	♂	Myotis l. lucifugus	Towner 8 mi N. North Dakota	Aug 2, 1915	245	81	37	behind barn door in timber along Mouse river
2	170	♂	Myotis l. lucifugus	Towner 8 mi N. North Dakota	Aug 2, 1915	243	90	40	behind barn door in timber along Mouse river
2	171	♀	Myotis l. lucifugus	Towner 8 mi N. North Dakota	Aug 2, 1915	255	94	39	behind barn door in timber along Mouse river
2	172	♀	Myotis l. lucifugus	Towner 8 mi N. North Dakota	Aug 2, 1915	270	93	41	behind barn door in timber along Mouse river
2	173	♀	Myotis l. lucifugus	Towner 8 mi N. North Dakota	Aug 2, 1915	264	98	41	behind barn door in timber along Mouse river Sent in exchg. to Mus. Comp. Zool. July 11, 1930.
2	174	♀	Myotis l. lucifugus	Towner 8 mi N. North Dakota	Aug 2, 1915	251	97	40	behind barn door in timber along Mouse river
2	175	♀	Myotis l. lucifugus	Towner 8 mi N. North Dakota	Aug 2, 1915	273	97	41	behind barn door in timber along Mouse river

	176	♀	<i>Myotis l. lucifugus</i>	Towner 8 mi N. North Dakota	Aug. 2, 1915	264	98	44	behind barn door in timber along Mouse river Sent in exchg. to Mus. Comp. Zool. July 11, 1930.
	177	♀	<i>Myotis l. lucifugus</i>	Towner 8 mi N. North Dakota	Aug. 2, 1915	264	96	44	behind barn door in timber along Mouse river Sent in exchg. to Mus. Comp. Zool. July 11, 1930.
	178	♀	<i>Myotis l. lucifugus</i>	Towner 8 mi N. North Dakota	Aug. 2, 1915	278	98	41	behind barn door in timber along Mouse river Sent in exchg. to Mus. Comp. Zool. July 11, 1930.
	179	♀	<i>Myotis l. lucifugus</i>	Towner 8 mi N. North Dakota	Aug. 2, 1915	262	96	41	behind barn door in timber along Mouse river Sent in exchg. to Mus. Comp. Zool. July 11, 1930.
	180	♀	<i>Myotis l. lucifugus</i>	Towner 8 mi N. North Dakota	Aug. 2, 1915	264	93	39	behind barn door in timber along Mouse river Sent in exchg. to Mus. Comp. Zool. July 11, 1930.
	181	♂	<i>Myotis l. lucifugus</i>	Towner 8 mi N. North Dakota	Aug. 2, 1915	259	95	43	behind barn door in timber along Mouse river
	182	♂	<i>Myotis l. lucifugus</i>	Towner 8 mi N. North Dakota	Aug. 2, 1915	242	94	40	behind barn door in timber along Mouse river
	183	♂	<i>Myotis l. lucifugus</i>	Towner 8 mi N. North Dakota	Aug. 2, 1915	255	92	37	behind barn door in timber along Mouse river
	184	♂	<i>Myotis l. lucifugus</i>	Towner 8 mi N. North Dakota	Aug. 2, 1915	253	91	43	behind barn door in timber along Mouse river
	185	♂	<i>Myotis l. lucifugus</i>	Towner 8 mi N. North Dakota	Aug. 2, 1915	266	93	40	behind barn door in timber along Mouse river
208163	186	♀	<i>Citellus richardsonii</i>	Towner 8 mi N. North Dakota	Aug. 4, 1915	286	74	43	in pasture
208190	187	♀	<i>Microtus p. modestus</i>	Towner 8 mi N. North Dakota	Aug. 4, 1915	161	45	20	in meadow
208191	188	♀	<i>Microtus p. modestus</i>	Towner 8 mi N. North Dakota	Aug. 4, 1915	133	38	19	in swamp.
208174	189	♀	<i>Thomomys t. rufescens</i>	Towner 8 mi N. North Dakota	Aug. 4, 1915	237	74	31	in meadow - sandy soil
208180	190	♂	<i>Erotomys g. loringi</i>	Towner 8 mi N. North Dakota	Aug. 5, 1915	126	33	18	in timber along Mouse river, beside log
209070	191	♀	<i>Erotomys g. loringi</i>	Towner 8 mi N. North Dakota	Aug. 5, 1915	111	30	18	in timber along Mouse river beside log
208181	192	♂	<i>Erotomys g. loringi</i>	Towner 8 mi N. North Dakota	Aug. 5, 1915	146	39	19	in timber along Mouse river beside log
208164	193	♂	<i>Citellus tridecemlineatus</i>	Towner 8 mi N. North Dakota	Aug. 5, 1915	260	88	35	in meadow
208182	194	♂	<i>Erotomys g. loringi</i>	Towner 8 mi N. North Dakota	Aug. 5, 1915	122	31	18	in timber along Mouse river beside log
208157	195	♀	<i>Ondatra z. cinnamomina</i>	Towner 8 mi N. North Dakota	Aug. 5, 1915	465	217	71	in Mouse river
208192	196	♂	<i>Microtus haydenii</i>	Towner 8 mi N. North Dakota	Aug. 6, 1915	155	36	19	in upland meadow
208172	197	♂	<i>Sciurus hudsonicus</i>	Towner 8 mi N. North Dakota	Aug. 6, 1915	361	150	49	in timber along Mouse river
208193	198	♀	<i>Microtus p. modestus</i>	Towner 8 mi N. North Dakota	Aug. 6, 1915	158	43	20	in meadow
208154	199	♀	<i>Sylvilagus f. similis</i>	Towner 8 mi N. North Dakota	Aug. 6, 1915	253	32	62	in meadow
209148	200	♂	<i>Procyon lotor</i>	Towner 8 mi N. North Dakota	Aug. 6, 1915	605	210	106	in timber along Mouse river

old notes carried to No. 1118

208158	201	♀	<i>Ondatra z. cinnamomina</i>	Towner 8 mi N. North Dakota	Aug 7, 1915	529	221	78	in Mouse river
208175	202	♀	<sup>Thomomys talpoi. rufescens</sup> <i>Thomomys t. rufescens</i>	Towner 8 mi N. North Dakota	Aug 7, 1915	227	66	31	in meadow - sandy subsoil
208176	203	♀	<sup>Thomomys talpoi. rufescens</sup> <i>Thomomys t. rufescens</i>	Towner 8 mi N. North Dakota	Aug 7, 1915	234	64	31	in meadow - sandy subsoil
208249	204	♀	<sup>Peromyscus m. hebracensis</sup> <i>Peromyscus m. hebracensis</i>	Towner 8 mi N. North Dakota	Aug 7, 1915	149	60	19	in timber along Mouse river
208194	205	♀	<i>Microtus p. modestus</i>	Lostwood, 6 mi N. North Dakota	Aug 10, 1915	164	44	20	in meadow
208195	206	♂	<i>Microtus p. modestus</i>	Lostwood, 6 mi N. North Dakota	Aug 11, 1915	158	39	19	in meadow
208196	207	♂	<i>Microtus haydenii</i>	Lostwood, 6 mi N. North Dakota	Aug 11, 1915	155	40	18	in runway on upland prairie
208197	208	♀	<i>Microtus p. modestus</i>	Lostwood, 6 mi N. North Dakota	Aug 11, 1915	171	45	20	in meadow
208215	209	♂	<sup>Sorex haydeni</sup> <del>Sorex merriami</del>	lostwood, 6 mi N. North Dakota	Aug 12, 1915	92	29	11	in Microtus runway on upland prairie
208198	210	♀	<i>Microtus p. modestus</i>	Lostwood, 6 mi N. North Dakota	Aug 12, 1915	155	39	19	in meadow
208199	211	♂	<i>Microtus haydenii</i>	Lostwood 6 mi N. North Dakota	Aug 12, 1915	142	37	20	in runway on upland prairie
208200	212	♀	<i>Microtus haydenii</i>	Lostwood 6 mi N. North Dakota	Aug. 12, 1915	130	35	19	in runway on upland prairie
208201	213	♀	<i>Microtus p. modestus</i>	lostwood 6 mi N. North Dakota	Aug 12, 1915	127	34	19	in meadow.
208202	214	♂	<i>Microtus p. modestus</i>	lostwood 6 mi N. North Dakota	Aug 13, 1915	160	42	20	in meadow
208203	215	♀	<i>Microtus haydenii</i>	lostwood 6 mi N. North Dakota	Aug 13, 1915	145	37	18	in upland prairie
208204	216	♂	<i>Microtus p. modestus</i>	lostwood 6 mi N. North Dakota	Aug. 13, 1915	152	36	19	in meadow
208205	217	♂	<i>Microtus haydenii</i>	Lostwood 6 mi N. North Dakota	Aug. 13, 1915	133	36	19	in upland prairie
208206	218	♂	<i>Microtus p. modestus</i>	Lostwood 6 mi N. North Dakota	Aug. 13, 1915	134	36	20	in meadow
208207	219	♀	<i>Microtus p. modestus</i>	lostwood 6 mi N. North Dakota	Aug. 13, 1915	151	40	19	in meadow
208208	220	♀	<i>Microtus haydenii</i>	lostwood 6 mi N. North Dakota	Aug. 14, 1915	150	39	18	in upland prairie
208209	221	♀	<i>Microtus p. modestus</i>	lostwood 6 mi N. North Dakota	Aug 14, 1915	120	33	19	in meadow
208210	222	♀	<i>Microtus p. modestus</i>	lostwood 6 mi N. North Dakota	Aug. 14, 1915	103	27	17	in meadow
209784	223	♀	<i>Ondatra z. cinnamomina</i>	lostwood 6 mi N. North Dakota	Aug. 14, 1915	466	210	73	near house in swamp.
	224	♀	<i>Ondatra z. cinnamomina</i>	lostwood 6 mi N. North Dakota	Aug. 14, 1915	433	172	68	near house in swamp.
208232	225	♀	<sup>princeps minor</sup> <i>Zapus hudsonius campestris</i>	lostwood 6 mi N. North Dakota	Aug. 15, 1915	231	127	31	in sagebrush on hill near swamp.

208159	226	♀	<sup>f.</sup> <i>Mustela t. longicauda</i>	Lostwood, 6 mi. N. North Dakota	Aug. 15, 1915	369	121	40	on prairie around ground squirrel holes.
208216	227	♀	<sup>c. haydeni</sup> <i>Sorex merriami</i>	Lostwood, 6 mi N. North Dakota	Aug. 16, 1915	94	34	12	in microtus runway on prairie
208217	228	♀	<sup>c. haydeni</sup> <i>Sorex merriami</i>	Lostwood 6 mi N. North Dakota	Aug. 16, 1915	85	30	12	in Microtus runway on upland prairie
208218	229	♀	<sup>g. arcticus</sup> <i>Sorex personatus</i> <sup>r. richardsoni</sup> <i>haydeni</i>	Lostwood 6 mi N. North Dakota	Aug. 16, 1915	108	36	14	in sagebrush on hill side on prairie
209786	230	♀	<i>Ondatra z. cinnamomina</i>	Lostwood Lake, North Dakota	Aug. 16, 1915	513	196	78	in reeds on shore of lake.
209787	231	♂	<i>Ondatra z. cinnamomina</i>	Lostwood Lake, North Dakota	Aug. 16, 1915	471	210	73	in reeds on shore of lake.
208219	232	♀	<sup>c. haydeni</sup> <i>Sorex merriami</i>	Lostwood 6 mi N. North Dakota	Aug. 17, 1915	90	32	11	in sagebrush on hill side on prairie
208220	233	♀	<sup>c. haydeni</sup> <i>Sorex merriami</i>	Lostwood 6 mi N. North Dakota	Aug. 17, 1915	88	36	12	in Microtus runway on high hill on prairie
208221	234	♀	<sup>c. haydeni</sup> <i>Sorex merriami</i>	Lostwood 6 mi. N. North Dakota	Aug. 18, 1915	86	34	11	in sagebrush on hill side on prairie
208250	235	♂	<sup>baridus</sup> <i>Peromyscus m. nebrascensis</i>	Lostwood 6 mi N. North Dakota	Aug. 18, 1915	126	52	17	in sagebrush on hill side on prairie
208233	236	♀	<sup>princeps minor</sup> <i>Zapus hudsonius campestris</i>	Lostwood 6 mi N. North Dakota	Aug. 18, 1915	225	129	31	in sagebrush on hill side on prairie
208211	237	♂	<i>Microtus minor</i>	Lostwood 6 mi N. North Dakota	Aug. 18, 1915	129	37	18	in runway on top high hill on prairie
208212	238	♀	<i>Microtus haydeni</i>	Lostwood 6 mi N. North Dakota	Aug. 18, 1915	148	36	20	in runway on top high hill on prairie
208213	239	♀	<i>Microtus modestus</i>	Lostwood 6 mi. N. North Dakota	Aug. 18, 1915	166	44	20	in sagebrush on hill side on prairie
208222	240	♀	<sup>c. haydeni</sup> <i>Sorex merriami</i>	Lostwood 6 mi. N. North Dakota	Aug. 19, 1915	83	30	11	in runway on top high hill on prairie
208234	241	♂	<sup>princeps minor</sup> <i>Zapus hudsonius campestris</i>	Lostwood 6 mi N. North Dakota	Aug. 19, 1915	209	119	28	in sagebrush on hill side on prairie
208235	242	♀	<sup>princeps minor</sup> <i>Zapus hudsonius campestris</i>	Lostwood 6 mi N. North Dakota	Aug. 19, 1915	226	128	29	in sagebrush on hill side on prairie
208165	243	♂	<i>Citellus r. richardsoni</i>	Lostwood 6 mi N. North Dakota	Aug. 19, 1915	297	70	46	on prairie
208223	244	♀	<sup>c. haydeni</sup> <i>Sorex merriami</i>	Lostwood 6 mi. N. North Dakota	Aug. 19, 1915	92	32	11	under cock of hay in meadow.
208224	245	♂	<sup>c. haydeni</sup> <i>Sorex merriami</i>	Lostwood 6 mi N. North Dakota	Aug. 20, 1915	86	32	11	in runway on top high hill on prairie
209053	246	♂	<sup>m.</sup> <i>Eutamias pallidus</i>	Grinnell, 4 mi W. North Dakota	Aug. 22, 1915	205	91	30	in woodpile near badlands
209054	247	♂	<sup>m.</sup> <i>Eutamias pallidus</i>	Grinnell 4 mi W. North Dakota	Aug. 22, 1915	194	89	30	in woodpile near badlands.
209094	248	♀	<sup>m.</sup> <i>Peromyscus leucopus aridatus</i>	Grinnell 4 mi W. North Dakota	Aug. 22, 1915	183	71	21	in granary near badlands
209055	249	♂	<sup>m.</sup> <i>Eutamias pallidus</i>	Grinnell 4 mi. W. North Dakota	Aug. 23, 1915	203	93	32	in brush on side of hill in badlands.
209095	250	♀	<sup>m.</sup> <i>Peromyscus maniculatus nebrascensis</i>	Grinnell 4 mi. W. North Dakota	Aug. 23, 1915	143	62	20	in brush on side of hill in badlands.

Stellogg

Field notes carded to No 1118

209096	251	♀	Peromyscus <sup>cr.</sup> <del>maniculatus</del> <sup>usgoli</sup> nebracensis	Grinnell, 4mi W. North Dakota	Aug. 23, 1915	146	58	19	in brush on side of hill in badlands
209138	252	♀	Lepus <del>canadensis</del> <sup>t.</sup> <del>campestris</del> <sup>campanus</sup>	Grinnell, 4mi W. North Dakota	Aug. 23, 1915	660	102	151	on top hill in badlands.
209056	253	♀	Eutamias m. pallidus	Grinnell, 4mi W. North Dakota	Aug. 23, 1915	217	106	31	in woodpile near badlands
209057	254	♀	Eutamias m. pallidus	Grinnell, 4mi W. North Dakota	Aug. 23, 1915	191	87	31	in woodpile near badlands
208255	255	♂	Mustela l. longicauda	Grinnell 4mi W. North Dakota	Aug. 23, 1915	435	148	52	in brush along Beaver Creek
209058	256	♂	Eutamias m. pallidus	Grinnell 4mi W. North Dakota	Aug. 24, 1915	203	97	30	in brush on side of hill in badlands
209059	257	♀	Eutamias m. pallidus	Grinnell 4mi W. North Dakota	Aug. 24, 1915	208	97	32	in brush on side of hill in badlands
209097	258	♂	Peromyscus <sup>m.</sup> <del>maniculatus</del> <sup>osgoli</sup> nebracensis	Grinnell 4mi W. North Dakota	Aug. 24, 1915	149	58	21	in brush on side of hill in badlands
209098	259	♀	Peromyscus <sup>m.</sup> <del>maniculatus</del> <sup>osgoli</sup> nebracensis	Grinnell 4mi W. North Dakota	Aug. 24, 1915	156	64	20	in brush on side of hill in badlands
209099	260	♀	Peromyscus <sup>m.</sup> <del>maniculatus</del> <sup>osgoli</sup> nebracensis	Grinnell 4mi W. North Dakota	Aug. 24, 1915	147	66	20	in brush on side of hill in badlands
209060	261	♂	Eutamias m. pallidus	Grinnell 4mi W. North Dakota	Aug. 24, 1915	154	48	30	in brush on side of hill in badlands
209116	262	♀	Microtus <del>p. modestus</del>	Grinnell 4mi W. North Dakota	Aug. 25, 1915	173	49	21	in swamp grass along Beaver creek
209117	263	♀	Microtus <del>p. modestus</del>	Grinnell 4mi W. North Dakota	Aug. 25, 1915	176	49	21	in swamp grass along Beaver creek
209118	264	♂	Microtus <del>p. modestus</del>	Grinnell 4mi W. North Dakota	Aug. 25, 1915	163	46	20	in swamp grass along Beaver creek
209119	265	♂	Microtus <del>p. modestus</del>	Grinnell 4mi W. North Dakota	Aug. 25, 1915	169	46	20	in swamp grass along Beaver creek
209046	266	♂	Zapus hudsonius <sup>intermedius</sup> <del>campestris</del>	Grinnell 4mi W. North Dakota	Aug. 25, 1915	205	122	28	in swamp grass along Beaver creek
209047	267	♀	Zapus <sup>princeps</sup> <del>hudsonius</del> <sup>minor</sup> <del>campestris</del>	Grinnell 4mi W. North Dakota	Aug. 25, 1915	226	131	30	in swamp grass along Beaver creek
209061	268	♀	Eutamias m. pallidus	Grinnell 4mi W. North Dakota	Aug. 25, 1915	210	92	31	in brush on side of hill in badlands
209062	269	♂	Eutamias m. pallidus	Grinnell 4mi W. North Dakota	Aug. 25, 1915	197	88	30	in brush on side of hill in badlands
209063	270	♂	Eutamias m. pallidus	Grinnell 4mi W. North Dakota	Aug. 25, 1915	206	96	31	in brush on side of hill in badlands
209100	271	♀	Peromyscus <sup>m.</sup> <del>nebracensis</del>	Grinnell 4mi W. North Dakota	Aug. 25, 1915	148	58	19	in brush on side of hill in badlands
209101	272	♂	Peromyscus m. nebracensis	Grinnell 4mi W. North Dakota	Aug. 25, 1915	151	57	20	in brush on side of hill in badlands
209102	273	♂	Peromyscus <sup>m.</sup> <del>nebracensis</del> <sup>osgoli</sup>	Grinnell 4mi W. North Dakota	Aug. 25, 1915	145	56	19	under sagebrush
209103	274	♀	Peromyscus <del>laridatus</del>	Grinnell 4mi W. North Dakota	Aug. 25, 1915	168	69	21	in swamp grass along Beaver creek
209139	275	♀	Ondatra z. cinnamomina	Grinnell 4mi W. North Dakota	Aug. 25, 1915	481	233	75	in swamp grass along Beaver creek,

209037	276	♂	<i>Myotis evotis</i> <sup>chrysonotus</sup> <del><i>Corynorhinus macrotus</i> <i>pallidus</i></del>	Grinnell 4 mi. W. North Dakota	Aug. 26, 1915	242	90	42	around house in badlands
209120	277	♀	<i>Microtus haydeni</i>	Grinnell 4 mi. W. North Dakota	Aug. 26, 1915	161	46	19	in grass along Beaver creek
209121	278	♂	<i>Microtus haydeni</i>	Grinnell 4 mi. W. North Dakota	Aug. 26, 1915	167	45	21	in grass along Beaver creek
209064	279	♂	<i>Eutamias</i> <sup>m.</sup> <i>pallidus</i>	Grinnell 4 mi. W. North Dakota	Aug. 26, 1915	204	98	30	in brush on side of hill in badlands
209065	280	♂	<i>Eutamias</i> <sup>m.</sup> <i>pallidus</i>	Grinnell 4 mi. W. North Dakota	Aug. 26, 1915	183	72	31	in grass along Beaver creek
209066	281	♀	<i>Eutamias</i> <sup>m.</sup> <i>pallidus</i>	Grinnell 4 mi. W. North Dakota	Aug. 26, 1915	205	94	30	in brush on side of hill in badlands
209104	282	♀	<i>Peromyscus maniculatus</i> <sup>m.</sup> <i>nebracensis</i>	Grinnell 4 mi. W. North Dakota	Aug. 26, 1915	158	66	20	in brush on side of hill in badlands
209105	283	♂	<i>Peromyscus maniculatus</i> <sup>m.</sup> <i>nebracensis</i>	Grinnell 4 mi. W. North Dakota	Aug. 26, 1915	157	62	20	under sagebrush
209048	284	♀	<i>Zapus hudsonius</i> <sup>leucogaster</sup> <i>campestris</i>	Grinnell 4 mi. W. North Dakota	Aug. 27, 1915	216	125	30	in swamp grass along Beaver creek
209049	285	♀	<i>Zapus</i> <sup>princeps minor</sup> <del><i>hudsonius</i></del> <i>campestris</i>	Grinnell 4 mi. W. North Dakota	Aug. 27, 1915	215	123	29	in swamp grass along Beaver creek
209122	286	♂	<i>Microtus haydeni</i>	Grinnell 4 mi. W. North Dakota	Aug. 27, 1915	181	52	20	in swamp grass along Beaver creek
209123	287	♀	<i>Microtus p.</i> <i>modestus</i>	Grinnell 4 mi. W. North Dakota	Aug. 27, 1915	162	44	20	in swamp grass along Beaver creek
209106	288	♂	<i>Peromyscus maniculatus</i> <i>nebracensis</i>	Grinnell 4 mi. W. North Dakota	Aug. 27, 1915	156	62	19	under sagebrush
208251	289	♂	<i>Peromyscus maniculatus</i> <i>nebracensis</i>	Grinnell 4 mi. W. North Dakota	Aug. 27, 1915	149	57	19	under sagebrush
208252	290	♀	<i>Peromyscus maniculatus</i> <i>nebracensis</i>	Grinnell 4 mi. W. North Dakota	Aug. 27, 1915	145	56	19	in brush on side of hill in badlands
209124	291	♂	<i>Microtus p.</i> <i>modestus</i>	Grinnell 4 mi. W. North Dakota	Aug. 28, 1915	151	41	20	in swamp grass along Beaver creek
209125	292	♀	<i>Microtus p.</i> <i>modestus</i>	Grinnell 4 mi. W. North Dakota	Aug. 28, 1915	161	39	21	in swamp grass along Beaver creek
209050	293	♀	<i>Zapus</i> <sup>princeps minor</sup> <i>hudsonius</i> <i>campestris</i>	Grinnell 4 mi. W. North Dakota	Aug. 28, 1915	219	122	29	in swamp grass along Beaver creek
208253	294	♂	<i>Peromyscus maniculatus</i> <i>nebracensis</i>	Grinnell 4 mi. W. North Dakota	Aug. 28, 1915	146	57	19	in brush on side of hill in badlands
208254	295	♂	<i>Peromyscus maniculatus</i> <i>nebracensis</i>	Grinnell 4 mi. W. North Dakota	Aug. 28, 1915	145	60	20	in brush on side of hill in badlands
209041	296	♀	<i>Myotis evotis</i> <sup><i>Eptesicus fuscus</i></sup> <i>pallidus</i>	Grinnell 4 mi. W. North Dakota	Aug. 29, 1915	324	117	50	along Beaver creek.
209039	297	♀	<i>Nycterus borealis borealis</i>	Grinnell 4 mi. W. North Dakota	Aug. 29, 1915	330	117	52	hanging on limb in timber
209040	298	♀	<i>Nycterus borealis borealis</i>	Grinnell 4 mi. W. North Dakota	Aug. 29, 1915	298	104	45	along Beaver creek
209051	299	♂	<i>Zapus hudsonius</i> <sup>intermedius</sup> <i>campestris</i>	Grinnell 4 mi. W. North Dakota	Aug. 29, 1915	218	125	30	in swamp grass along Beaver creek
209107	300	♀	<i>Peromyscus leucopus</i> <sup>m.</sup> <i>aridulus</i>	Grinnell 4 mi. W. North Dakota	Aug. 29, 1915	180	74	20	in swamp grass along Beaver creek.

Kellogg

Field notes carded to No 1118

209042	301	♂	<i>Eptesicus fuscus pallidus</i>	Grinnell 4 mi. W. North Dakota	Aug. 30, 1915	324	114	46	around house in badlands
209043	302	♀	" " "	Grinnell 4 mi. W. North Dakota	Aug. 30, 1915	320	113	43	around house in badlands
209044	303	♂	" " "	Grinnell 4 mi. W. North Dakota	Aug. 30, 1915	319	111	47	around house in badlands
209045	304	♀	" " "	Grinnell 4 mi. W. North Dakota	Aug. 30, 1915	340	120	51	around house in badlands
209140	305	♀	<i>Citellus t. tridecemlineatus</i>	Grinnell, 4 mi. W. North Dakota	Aug. 30, 1915	266	106	35	in wheat field
209052	306	♂	<i>Zapus hudsonius</i> <sup>intermedius</sup> <del>campestris</del>	Grinnell, 4 mi. W. North Dakota	Aug. 30, 1915	215	127	29	in swamp grass along Beaver creek
209108	307	♀	<i>Peromyscus maniculatus nebracensis</i>	Goodall North Dakota	Sept. 3, 1915	162	62	20	under sagebrush
209109	308	♂	<i>Peromyscus maniculatus nebracensis</i>	Goodall North Dakota	Sept. 3, 1915	160	63	21	under sagebrush
209110	309	♂	<i>Peromyscus maniculatus nebracensis</i>	Goodall North Dakota	Sept. 3, 1915	159	65	20	in brush along Antelope creek
209111	310	♀	<i>Peromyscus maniculatus nebracensis</i>	Goodall North Dakota	Sept. 3, 1915	156	59	19	in brush along Antelope creek
209088	311	♀	<i>Thomomys talpoides rufescens</i>	Goodall North Dakota	Sept. 4, 1915	208	59	30	in sand along Missouri river
	312	♂	<i>Myotis lucifugus lucifugus</i>	Goodall North Dakota	Sept. 4, 1915	250	90	39	edge of timber along Antelope creek
209112	313	♀	<i>Peromyscus maniculatus nebracensis</i>	Goodall North Dakota	Sept. 4, 1915	147	56	20	in sand under willows along Missouri river
209089	314	♀	<i>Thomomys talpoides rufescens</i>	Goodall North Dakota	Sept. 5, 1915	211	55	31	in sand along Missouri river
209090	315	♀	<i>Thomomys talpoides rufescens</i>	Goodall North Dakota	Sept. 5, 1915	214	56	30	in sand along Missouri river
209091	316	♀	<i>Thomomys talpoides rufescens</i>	Goodall North Dakota	Sept. 5, 1915	207	59	30	in sand along Missouri river
209071	317	♀	<i>Erotomys g. loringi</i>	Goodall North Dakota	Sept. 5, 1915	118	32	18	under willows in sandy soil along Missouri river
209141	318	♀	<i>Sylvilagus f. similis</i>	Goodall North Dakota	Sept. 5, 1915	368	35	101	in sagebrush
209113	319	♂	<i>Peromyscus m. nebracensis</i>	Goodall North Dakota	Sept. 5, 1915	155	62	20	under sagebrush
209072	320	♀	<i>Erotomys g. loringi</i>	Goodall North Dakota	Sept. 6, 1915	131	37	19	under willows in sandy soil along Missouri river
209142	321	♀	<i>Sylvilagus f. similis</i>	Goodall North Dakota	Sept. 7, 1915	190	230	52	near log barn
209126	322	♀	<i>Microtus pallidus</i>	Goodall North Dakota	Sept. 7, 1915	132	31	17	under willows in sandy soil along Missouri river
209073	323	♀	<i>Erotomys g. loringi</i>	Goodall North Dakota	Sept. 8, 1915	133	36	19	under sagebrush
209074	324	♂	<i>Erotomys g. loringi</i>	Goodall North Dakota	Sept. 8, 1915	141	40	20	under willows in sandy soil along Missouri river
209075	325	♀	<i>Erotomys g. loringi</i>	Goodall North Dakota	Sept. 9, 1915	123	34	18	under willows in sandy soil along Missouri river

209092	326	♀	<sup>Thomomys talpoides rufescens</sup> Thomomys talpoides rufescens	Goodall	North Dakota	Sept. 10, 1915	215	.66	29	in black soil in garden
209127	327	♂	<sup>minor</sup> Microtus pallidus	Goodall	North Dakota	Sept. 11, 1915	136	35	18	under willows at entrance to burrow in sand
209128	328	♀	<sup>minor</sup> Microtus pallidus	Goodall	North Dakota	Sept. 11, 1915	141	34	17	under willows in sand
209076	329	♀	Erotomys g. Loringi	Goodall	North Dakota	Sept. 11, 1915	133	37	18	under willows in sand
209067	330	♀	Eutamias m. pallidus	Goodall	North Dakota	Sept. 11, 1915	206	96	31	under bull berry bush in sand
209114	331	♂	<sup>osardi</sup> Peromyscus maniculatus nebrascensis	Goodall	North Dakota	Sept. 11, 1915	155	68	20	under willows in sand.
209129	332	♀	<sup>minor</sup> Microtus pallidus	Goodall	North Dakota	Sept. 12, 1915	143	35	18	under willows at entrance to burrow in sand
209130	333	♀	<sup>minor</sup> Microtus pallidus	Goodall	North Dakota	Sept. 12, 1915	130	29	17	under willows in sand
209077	334	♀	Erotomys g. Loringi	Goodall	North Dakota	Sept. 12, 1915	145	41	18	under willows in sand
209078	335	♀	Erotomys g. Loringi	Goodall	North Dakota	Sept. 12, 1915	125	36	19	under willows in sand
209079	336	♀	Erotomys g. Loringi	Goodall	North Dakota	Sept. 12, 1915	119	32	18	under willows in sand
209080	337	♀	Erotomys g. Loringi	Goodall	North Dakota	Sept. 12, 1915	116	30	18	under willows in sand
209093	338	♀	<sup>Thomomys talpoides rufescens</sup> Thomomys talpoides rufescens	Goodall	North Dakota	Sept. 12, 1915	224	66	30	in sandy soil along Missouri river
209068	339	♂	Eutamias m. pallidus	Goodall	North Dakota	Sept. 12, 1915	203	89	30	in willows along Missouri river
209069	340	♂	Eutamias m. pallidus	Goodall	North Dakota	Sept. 12, 1915	192	80	30	in willows along Missouri river
209131	341	♀	Microtus pallidus	Goodall	North Dakota	Sept. 13, 1915	117	26	17	under willows at entrance to burrow in sand
209132	342	♀	Microtus pallidus	Goodall	North Dakota	Sept. 14, 1915	117	23	16	under willows at entrance to burrow in sand
209133	343	♀	Microtus pallidus	Goodall	North Dakota	Sept. 14, 1915	119	28	17	under willows at entrance to burrow in sand
209081	344	♀	Erotomys g. Loringi	Goodall	North Dakota	Sept. 14, 1915	119	30	18	under willows in sand
209115	345	♂	<sup>osardi</sup> Peromyscus maniculatus nebrascensis	Goodall	North Dakota	Sept. 14, 1915	154	64	19	under willows in sand.
209134	346	♀	Microtus pallidus	Goodall	North Dakota	Sept. 14, 1915	116	27	16	under willows at entrance to burrow in sand.
209082	347	♀	Erotomys g. Loringi	Goodall	North Dakota	Sept. 15, 1915	137	37	19	under willows in sand.
209135	348	♀	Microtus pallidus	Goodall	North Dakota	Sept. 15, 1915	117	26	16	under willows at entrance to burrow in sand.
	349	♀	Microtus pallidus	Goodall	North Dakota	Sept. 15, 1915	121	26	16	under willows at entrance to burrow in sand. <sup>No skull.</sup>
209136	350	♀	Microtus pallidus	Goodall	North Dakota	Sept. 16, 1915	156	35	17	under willows at entrance to burrow in sand



209137	351	♂	<i>Microtus <sup>minor</sup> pallidus</i>	Goodall North Dakota	Sept. 16, 1915	129	30	16	under willows at entrance to burrow in sand.
	352	♂	<i>Mustela <sup>leucota</sup> longicauda</i>	Elbowoods, 3 mi. W. North Dakota	Sept. 19, 1915	452	164	50	in willow brush along Missouri river
209143	353	♂	<i>Lepus americanus americanus</i>	Elbowoods, 3 mi. W. North Dakota	Sept. 19, 1915	296	35	83	found dead on bank of Missouri river
209083	354	♀	<i>Erotomys g. loringi</i>	Elbowoods 6 mi S.E. North Dakota	Sept. 22, 1915	149	36	18	Among dead leaves under cottonwoods along Missouri
209084	355	♂	<i>Erotomys g. loringi</i>	Elbowoods 6 mi S.E. North Dakota	pt. 22, 1915	152	41	19	Among dead leaves under cottonwoods along Missouri
209085	356	♀	<i>Erotomys g. loringi</i>	Elbowoods 6 mi S.E. North Dakota	Sept. 22, 1915	145	37	19	Among dead leaves under cottonwoods along Missouri
209086	357	♂	<i>Erotomys g. loringi</i>	Elbowoods 6 mi S.E. North Dakota	Sept. 22, 1915	127	34	18	Among dead leaves under cottonwoods along Missouri
209789	358	♂	<i>Ondatra zibthica cinnamomina</i>	Elbowoods 6 mi S.E. North Dakota	Sept. 24, 1915	494	234	75	along Missouri river
209808	359	♂	<i>Peromyscus maniculatus <sup>nebracensis</sup></i>	Elbowoods 6 mi S.E. North Dakota	Sept. 25, 1915	147	54	20	Among dead leaves under cottonwoods along Missouri
209800	360	♀	<i>Erotomys g. loringi</i>	Elbowoods 6 mi S.E. North Dakota	Sept. 25, 1915	123	35	18	Among dead leaves under cottonwoods along Missouri
209801	361	♂	<i>Erotomys g. loringi</i>	Elbowoods 6 mi S.E. North Dakota	Sept. 25, 1915	133	37	18	Among dead leaves under cottonwoods along Missouri
209788	362	♂	<i>Exethizon epixanthum epixanthum</i>	Stanton 2 mi N. North Dakota	Oct. 1, 1915	844	250	112	in alfalfa field near timber along Missouri
209144	363	♀	<i>Sylvilagus f. similis</i>	Stanton 2 mi N. North Dakota	Oct. 2, 1915	411	54	97	in diamond willow brush along Missouri
209145	364	♀	<i>Sylvilagus f. similis</i>	Stanton 2 mi N. North Dakota	Oct. 2, 1915	410	53	91	in brush along Knife river
209146	365	♀	<i>Sylvilagus f. similis</i>	Stanton 2 mi N. North Dakota	Oct. 2, 1915	420	54	101	in brush along Knife river
209147	366	♂	<i>Sylvilagus f. similis</i>	Stanton 2 mi N. North Dakota	Oct. 2, 1915	456	62	103	in brush along Knife river
209809	367	♀	<i>Peromyscus maniculatus <sup>nebracensis</sup></i>	Stanton 2 mi N. North Dakota	Oct. 4, 1915	154	61	19	beside log in brush along Missouri
209802	368	♀	<i>Erotomys g. loringi</i>	Stanton 2 mi N. North Dakota	Oct. 4, 1915	122	33	17	under brush along Missouri
209803	369	♂	<i>Erotomys g. loringi</i>	Stanton 2 mi N. North Dakota	Oct. 4, 1915	122	35	18	under brush pile along Missouri
209804	370	♂	<i>Erotomys g. loringi</i>	Stanton 2 mi N. North Dakota	Oct. 4, 1915	125	31	18	under brush pile along Missouri
209810	371	♀	<i>Peromyscus maniculatus <sup>oagoodi</sup> <del>nebracensis</del></i>	Stanton 2 mi N. North Dakota	Oct. 5, 1915	155	65	19	under brush pile along Missouri
209805	372	♂	<i>Erotomys g. loringi</i>	Stanton 2 mi N. North Dakota	Oct. 5, 1915	134	36	18	under brush pile along Missouri
209806	373	♀	<i>Erotomys g. loringi</i>	Stanton 2 mi N. North Dakota	Oct. 5, 1915	129	34	17	under brush pile along Missouri
209790	374	♀	<i>Mustela vison lacustris</i>	Stanton 2 mi N. North Dakota	Oct. 6, 1915	573	200	64	in runway near Knife river
209797	375	♂	<i>Microtus</i>	Stanton 2 mi N. North Dakota	Oct. 6, 1915	147	43	20	in runway in meadow

Skellogg.

Field notes carded to No 1118

209791	376	♀	<i>Sylvilagus f. similis</i>	Stanton, 2 mi N. North Dakota	Oct. 7, 1915	427	61	92	in brush along Knife river
209798	377	♀	<i>Microtus</i>	Stanton 2 mi N. North Dakota	Oct. 7, 1915	164	47	19	in runway in meadow
209799	378	♀	<i>Microtus</i>	Stanton 2 mi N. North Dakota	Oct. 7, 1915	136	37	19	in runway in meadow
209811	379	♀	<i>Peromyscus m. nebracensis</i> <sup>osgordi</sup>	Stanton 2 mi N. North Dakota	Oct. 7, 1915	149	62	18	in weeds near oat field
209792	380	♂	<i>Sylvilagus f. similis</i>	Deapolis 3 mi N.E. North Dakot	Oct. 1, 1915	432	54	101	in brush near badlands
209812	381	♀	<i>Peromyscus leucopus aridulus</i>	Sather 4 mi W. North Dakot.	Oct. 13, 1915	200	95	22	in brush along Missouri river
209813	382	♀	<i>Peromyscus m. nebracensis</i> <sup>osgordi</sup>	Sather 4 mi W. North Dakota	Oct. 13, 1915	168	68	20	in brush along Missouri river
209795	383	♀	<i>Thomomys t. rufescens</i> <sup>talpoi</sup>	Sather 4 mi. W. North Dakota	Oct. 14, 1915	216	56	18	in meadow near Missouri river
209807	384	♀	<i>Eutamias g. loringi</i>	Sather 4 mi W. North Dakota	Oct. 14, 1915	118	27	17	in brush along Missouri river
209814	385	♂	<i>Peromyscus m. nebracensis</i> <sup>osgordi</sup>	Sather 4 mi W. North Dakota	Oct. 14, 1915	147	58	19	in brush along Missouri river
209815	386	♀	<i>Peromyscus leucopus aridulus</i>	Sather 4 mi. W. North Dakot	Oct. 14, 1915	168	78	23	in brush along Missouri river
209816	387	♀	<i>Peromyscus m. nebracensis</i> <sup>osgordi</sup>	Sather 4 mi. W. North Dakota	Oct. 14, 1915	134	54	18	in brush along Missouri river

388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400



Field notes carded to No. 1118

Specimen No.	Sex	Species	Location	Date	Weight	Length	Ear	Notes
212321	♀	<i>Microtus</i>	Glendive, Montana	May 3, 1916	152	34	21	on side of Railway embankment - across Yellowstone River
212322	♂	"	"	"	164	40	21	"
212323	♀	"	"	"	173	38	21	" (7embryoes)"
212324	♂	"	"	"	166	35	21	"
212325	♀	" <i>p. modestus</i>	"	"	149	38	22	"
212326	♀	"	"	"	161	40	21	"
212327	♀	" <i>p. modestus</i>	"	"	138	34	19	"
212342	♂	<i>Reithrodontomys megalotus dychei</i>	"	"	132	54	16	"
212343	♂	"	"	"	135	58	17	"
212344	♀	"	"	"	122	52	16	"
212345	♀	"	"	"	117	49	17	"
212346	♀	"	"	"	132	56	17	"
212347	♂	"	"	"	121	54	16	"
212348	♀	"	"	"	155	74	17	"
212328	♂	<i>Microtus p. modestus</i>	"	May 4, 1916	144	35	20	"
212329	♀	"	"	"	146	39	19	" (7embryoes)"
212330	♂	" <i>p. modestus</i>	"	"	143	36	20	"
212331	♀	"	"	"	160	45	20	" (7embryoes)"
212332	♀	"	"	"	176	44	20	" (8embryoes)"
212333	♀	"	"	"	146	35	21	"
212334	♀	" <i>p. modestus</i>	"	"	174	45	20	"
212335	♀	"	"	"	155	44	20	" (8embryoes)"
212366	♀	"	"	"	162	34	20	" (6embryoes)"
212349	♀	<i>Reithrodontomys megalotus dychei</i>	"	"	143	60	16.5	" (7embryoes)"
212350	♂	"	"	"	140	63	17	"
212351	♂	"	"	"	140	61	17	"

212374	414	♀	<i>Peromyscus maniculatus osgoodi</i>	Glendive, Montana
212352	415	♂	<i>Reithrodontomys megalotus dychei</i>	Glendive, Montana
212386	416	♀	<i>Microtus p. modestus</i>	" "
212367	417	♀ yg	"	" "
212368	418	♀ yg	"	" "
212369	419	♂	"	" "
212353	420	♂	<i>Reithrodontomys megalotus dychei</i>	" "
212354	421	♂	"	" "
212355	422	♂	"	" "
212337	423	♂	<i>Microtus p. modestus</i> <i>Fiberzibeticus cinnamominus</i>	" "
212365	424	♂	<i>Ondatra zibethica cinnamomina</i>	" "
212370	425	♂	<i>Microtus p. wahema</i> Bailey	" " Type
212338	426	♂	"	" "
212339	427	♂	"	" "
212356	428	♀	<i>Reithrodontomys megalotus dychei</i>	" "
212357	429	♂	"	" "
212358	430	♂	"	" "
212359	431	♀	"	" "
212371	432	♀	<i>Microtus p. modestus</i>	" "
212340	433	♀	"	" "
212375	434	♀	<i>Peromyscus maniculatus osgoodi</i>	" "
212360	435	♀	<i>Reithrodontomys megalotus dychei</i>	" "
212361	436	♀	"	" "
212362	437	♀	"	" "
212363	438	♀	"	" "
212341	439	♀	<i>Microtus p. modestus</i>	" "
212364	440	♀	<i>Reithrodontomys megalotus dychei</i>	" "

May 4, 1916	149	54	19	on side of Railway embankment	across Yellowstone River
May 4, 1916	134	59	17	on side of Railway embankment	across Yellowstone River
"	165	43	20	"	"
"	98	22	17	"	"
May 5, 1916	109	28	18	"	"
"	136	34	20	"	"
"	142	63	17	"	"
"	134	59	15	"	"
"	130	54	17	"	"
May 6, 1916	168	45	20	"	"
"	532	212	71	in small slough	"
May 8, 1916	178	43	20	on side of Railway embankment	across Yellowstone River
"	170	41	21	"	"
"	138	31	20	"	"
"	135	58	16	"	"
May 9, 1916	135	58	16	"	"
"	132	50	16	"	"
"	128	51	17	"	"
"	172	49	20	"	"
"	164	41	20	"	" (7 embryos)"
May 10, 1916	141	58	19	"	"
"	134	58	17	"	"
"	135	55	17	"	"
"	139	62	17	"	"
"	140	61	17	"	"
May 11, 1916	158	35	21	on prairie near	"
"	129	55	17	on side of Railway embankment	"

Field notes carded to No. 1118

212373	441	♀	<i>Peromyscus maniculatus osgoodi</i>	Glendive, Montana
213296	442	♀	<i>Peromyscus man. osgoodi</i>	" "
213313	443	♀	<i>Peromyscus man. osgoodi</i>	" "
212376	444	♂	<i>Citellus tridecemlineatus pallidus</i>	Intake Montana
213351	445	♂	<i>Sylvilagus <sup>nuttalli</sup> auduboni grangeri</i>	" "
213314	446	♂	<i>Microtus p. <sup>haydeni</sup> drummondii</i>	" "
213315	447	♀	" <i>haydeni</i>	" "
213297	448	♀	<i>Peromyscus maniculatus osgoodi</i>	" "
212377	449	♀	<i>Citellus tridecemlineatus pallidus</i>	Wibaux (17 mi W.) Montana
212378	450	♀	<i>Oitellus t. pallidus</i>	Wibaux 5 mi W. "
212379	451	♀	<i>Oitellus t. pallidus</i>	" " "
212380	452	♂	<i>Oitellus t. pallidus</i>	" " "
212381	453	♂	<i>Oitellus t. pallidus</i>	" " "
212382	454	♀	<i>Oitellus t. pallidus</i>	" " "
213298	455	♀	<i>Peromyscus man. osgoodi</i> <i>Peromyscus maniculatus osgoodi</i>	Wibaux 10 mi S "
213299	456	♀	<i>Peromyscus man. osgoodi</i>	" " "
	457			
213787	458	♀	<i>Peromyscus man. osgoodi</i> <i>Peromyscus maniculatus osgoodi</i>	" " "
213724	459	♀	<i>Microtus p. modestus</i>	" " "
213791	460	♂	<i>Citellus tridecemlineatus pallidus</i>	" 17 mi S "
213792	461	♀	<i>Oitellus t. pallidus</i>	" " "
213793	462	♀	<i>Oitellus t. pallidus</i>	" " "
213794	463	♀	<i>Oitellus t. pallidus</i>	" " "
213795	464	♂	<i>Oitellus t. pallidus</i>	" " "
213796	465	♂	<i>Oitellus t. pallidus</i>	Baker 10 mi N. "
213979	466	♂	<i>Oitellus t. pallidus</i>	" " "
213798	467	♂	<i>Oitellus t. pallidus</i>	" " "

May 12, 1916	161	58	18	under pile of lumber (odd skull) north side of Yellowstone River
May 17, 1916	152	55	20	on prairie under Artemesia " " "
" "	154	58	19	" " " " " "
May 18, 1916	216	48	31	on prairie (26 miles N.E. of Glendive)
May 19, 1916	376	40	90	on prairie in coulee " "
" "	135	33	20	" " " " " "
" "	110	25	17	" " " " " "
" "	138	52	19	" " " " " "
May 20 "	236	81	32	on prairie " "
May 21 "	228	76	31	" " " " " "
" "	248	91	32	" " " " " "
" "	234	92	30	" " " " " "
" "	244	79	34	" " " " " "
" "	220	76	31	" " " " " "
May 22, 1916	156	62	19	" " " " " "
" "	135	52	19	" " " " " "
" "				" " " " " "
" "	158	56	21	" " " " " "
" "	132	30	20	" " " " " "
" "	252	80	35	" " " " " "
" "	243	76	33	" " " " " "
" "	252	87	34	" " " " " "
" "	225	76	31	" " " " " "
" "	242	81	32	" " " " " "
May 23 1916	241	91	31	" " " " " "
" "	255	85	34	" " " " " "
" "	238	81	32	" " " " " "

213799	468	♂	Citellus tridecemlineatus pallidus	Baker 10 mi N. Montana
213819	469	♀	Lepus townsendii campanius	Medicine Rock 14 mi N. Ekalaka Montana
213828	470	♀	<del>Dipodomys o. terrosus</del> Perodipus montanus	" " " " "
213829	471	♀	" " "	" " " " "
213725	472	♀	Microtus p. modestus	" " " " "
213800	473	♂	Citellus tridecemlineatus pallidus	" " " " "
213758	474	♂	Peromyscus man. osgoodi	" " " " "
213759	475	♀	Peromyscus man. osgoodi	" " " " "
213760	476	♀	Peromyscus man. osgoodi	" " " " "
213830	477	♂	<del>Dipodomys o. terrosus</del> Perodipus montanus	" " " " "
213823	478	♂	Neotoma cinerea orolestes	" " " " "
213824	479	♀	" " "	" " " " "
213726	480	♂	Microtus p. <sup>waterburyi</sup> modestus	" " " " "
213727	481	♂	" " "	" " " " "
213761	482	♂	Peromyscus man. osgoodi	" " " " "
213762	483	♂	Peromyscus man. osgoodi	" " " " "
213763	484	♂	Peromyscus man. osgoodi	" " " " "
213764	485	♀	Peromyscus man. osgoodi	" " " " "
213765	486	♀	Peromyscus man. osgoodi	" " " " "
213766	487	♂	Peromyscus man. osgoodi	" " " " "
213767	488	♂	Peromyscus man. osgoodi	" " " " "
213801	489	♀	Citellus tridecemlineatus pallidus	" " " " "
213804	490	♂	Cynomys ludovicianus	Ekalaka, 3 mi N. Montana
213805	491	♀	" " "	" " " " "
213806	492	♂	" " "	" " " " "
213807	493	♀	" " "	" " " " "
213808	494	♂	" " "	" " " " "

May 23, 1916	214	51	32	on prairie	Field notes carded to No. 118
May 25, 1916	595	82	143	" "	
" "	264	143	43	in sand bank	
" "	246	142	38	" "	
" "	161	40	20	" "	
" "	247	78	32	" "	
" "	157	62	20	" "	
" "	174	65	21	" "	
" "	150	58	21	" "	
May 26	274	149	42	" "	
" "	246	100	38	under rocks	
" "	251	97	35	" "	
" "	168	39	20	under dead grass near slough	
" "	166	40	20	under dead grass	
" "	160	64	20	" "	
" "	174	66	21	" "	
" "	151	60	19	" "	
" "	159	64	18	" "	
" "	154	58	18	" "	
" "	157	62	20	" "	
" "	141	52	18	" "	
May 27	246	83	33	" "	
" "	361	73	56	on prairie	
" "	372	71	59	" " Exchanged to Herrera 3/3/20.	
" "	402	81	60	" "	
" "	350	72	57	" "	
" "	375	81	59	" "	

ID	Sex	Species	Location	Date	Weight	Length	Ear	Notes	Other
213809	♂	<sup>leucurus</sup> Cynomys ludovicianus	Montana, E Kalaka - 1 mi S.E	May 27, 1916	380	77	62	on prairie	4000"
213832	♀	Sorex <sup>c.</sup> haydeni	" " 5 mi S.E	May 28	100	36	12	in Microtus runway in pine woods	"
213728	♀	Microtus p. modestus	" " "	"	166	40	21	in runway under grass	"
213729	♀	" " "	" " "	"	156	37	20	" " " " "	"
213915	♂	Erethizon epixanthum	" " "	"	875	314	112	in pine tree	"
213833	♂	Sorex <sup>c.</sup> haydeni	" " "	May 29	93	33	12	in Microtus runway in pine woods	"
213788	♀	Eutamias m. pallidus	" " "	"	206	93	32	beneath rock ledge	"
213730	♀	Microtus haydeni	" " "	"	164	36	21	in runway under grass	"
213731	♂	" haydeni	" " "	"	162	34	21	" " " " "	"
213732	♂	" "	" " "	"	166	48	21	" " " " "	"
212299	♂	" haydeni	" " "	"	126	30	20	" " " " "	"
213768	♂	<sup>Peromyscus man. osgoodi</sup> Peromyscus m. osgoodi	" " "	"	140	56	20	" " " " "	"
213769	♀	Peromyscus man. osgoodi	" " "	"	128	53	20	" " " " "	"
213734	♂	Microtus haydeni	" " "	May 30	153	35	20	" " " " "	"
213735	♀	" "	" " "	"	146	30	19	" " " " "	"
213736	♀	" haydeni	" " "	"	135	31	19	" " " " "	"
213834	♀	Sorex <sup>c.</sup> haydeni	" " "	May 31	85	33	11	" " " " "	"
213770	♀	<sup>Peromyscus man. osgoodi</sup> Peromyscus m. osgoodi	" " "	"	142	58	19	beneath rock ledge	"
213771	♂	Peromyscus man. osgoodi	" " "	"	148	59	18	" " " " "	"
213737	♀	Microtus haydeni	" " "	"	123	29	18	in runway under grass	"
213810	♂	<sup>leucurus</sup> Cynomys ludovicianus	" Sykes	"	386	80	62	on prairie	"
213811	♂	" " "	" " "	"	363	74	64	" " "	"
213831	♂	Zapus hudsonius campestris	" Sioux National Forest - 8 mi E. Sykes	June 2	207	126	29	under Amelanchier alnifolia near spring in pine woods	"
213772	♀	<sup>Peromyscus man. osgoodi</sup> Peromyscus m. osgoodi	" " " " "	"	146	57	20	" " " " "	"
213738	♂	Microtus p. modestus	" " " " "	"	150	37	19	" " " " "	"
210040	♀	Microtus a. haydenii	" " " " "	"	164	38	20	in runway under grass	"
213739	♀	" " "	" " " " "	"	126	29	19	" " " " "	"

Field notes carded to No. 4118

213740	522	♀	<i>Microtus o. haydenii</i>	Montana, Sioux Nat. Forest. Sykes 8 mi N	June 2, 1916	122	29	18	in runway under grass	in pine woods.	
213741	523	♀	" " "	" " " " "	" "	112	28	18	" " " " "	" " "	
213789	524	♂	<i>Eutamias m. pallidus</i>	" " " " "	" "	214	93	34	in pine woods		
213802	525	♂	<i>Citellus t. pallidus</i>	" Capitol 8 mi N	June 3 "	253	88	35	on prairie		
213821	526	♂	<i>Sylvilagus nuttalli</i> <sup><i>similis</i></sup> <del><i>grangeri</i></del>	" " 3 mi S E	" "	370	38	91	in underbrush along	Cottonwood Creek	
213812	527	♂	<i>Cynomys ludoricianus</i>	" " " " "	" "	388	81	66	on prairie		
213813	528	♀	" " "	" " " " "	" "	368	80	62	" "		
213773	529	♀	<i>Peromyscus man. osgoodi</i>	" " " " "	June 5 "	158	58	19	along	Cottonwood Creek	4000'
213774	530	♂	<i>Peromyscus man. osgoodi</i>	" " " " "	" "	151	54	19	" " "		
213775	531	♂	<i>Peromyscus man. osgoodi</i>	" " " " "	" "	156	61	20	" " "		
213776	532	♂	<i>Peromyscus man. osgoodi</i>	" " " " "	" "	148	53	20	" " "		
213777	533	♀	<i>Peromyscus man. osgoodi</i>	" " " " "	" "	160	62	19	" " "		
213742	534	♂	<i>Microtus p. haydenii</i>	" " " " "	" "	139	29	20	" " "		
213814	535	♀	<i>Cynomys ludoricianus</i>	" " 8 miles S W.	" "	372	75	60	on prairie		
213815	536	♂	" " "	" " " " "	" "	395	83	62	" "		
213743	537	♀	<i>Microtus p. modestus</i>	" Albion 8 miles N.E.	June 6 "	174	44	21	along	Little Missouri River	4000'
213744	538	♂	" " "	" " " " "	" "	170	46	21	" " "		
213745	539	♀	" " "	" " " " "	" "	173	45	20	" " "		
213746	540	♂	" " "	" " " " "	" "	173	48	20	" " "		
213747	541	♂	" " "	" " " " "	" "	158	37	21	" " "		
213748	542	♀	" " "	" " " " "	" "	156	35	20	" " "		
213749	543	♀	" " "	" " " " "	" "	156	39	20	" " "		
213778	544	♂	<i>Peromyscus man. osgoodi</i>	" " " " "	" "	155	63	19	" " "		
213779	545	♂	<i>Peromyscus man. osgoodi</i>	" " " " "	" "	153	57	19	" " "		
213780	546	♂	" " "	" " " " "	" "	156	61	20	" " "		
213781	547	♂	" " "	" " " " "	" "	148	59	20	" " "		
213782	548	♂	" " "	" " " " "	" "	149	56	20	" " "		



213783	549	♂	<sup>Peromyscus man. osgoodi</sup> Peromyscus m. osgoodi	Montana, Albion 8 mi NE	June 6, 1916	153	62	20	along Little Missouri River	4000'
213784	550	♀	Peromyscus man. osgoodi	" "	" "	159	61	20	" " " "	" "
213785	551	♀	" " " "	" " " "	" "	162	61	20	" " " "	" "
213803	552	♀	Citellus tridecemlineatus pallidus	" " " "	June 7 "	258	83	35	" " " "	" "
213750	553	♀	Microtus p. modestus	" " " "	" "	179	47	21	" " " "	" "
213751	554	♂	" "	" " " "	" "	189	53	21	" " " "	" "
213752	555	♂	" "	" " " "	" "	156	36	20	" " " "	" "
213753	556	♂	" "	" " " "	" "	162	37	20	" " " "	" "
213754	557	♀	" "	" " " "	" "	159	40	21	" " " "	" "
215483	558	♂	Antilocapra americana	" Capitol 12 miles W.S.W.	June 8 "				odd skull picked up on prairie	4250'
213820	559	♀	Lepus townsendii campanius <sup>leucotis</sup>	" " " "	June 9 "	620	92	143	on prairie near Cottonwood Creek	" "
213816	560	♀	Cynomys ludovicianus <sup>floridanus similis</sup>	" Boxelder Cr. 25 " SW. Sykes	" "	376	80	62	" " near Boxelder Creek	" "
213352	561	♀	Sylvilagus nuttalli grangeri	" " " "	June 10 "	428	40	93	in Symphoricarpus	" "
213335	562	♀	Citellus tridecemlineatus pallidus	" Pilgrim Creek	June 12	227	81	32	taken from nest of Buteo b. calurus	" "
213329	563	♀	Perodipus	" " " "	" "	215	114	39	" " " " " "	" "
213330	564	♂	Dipodomys o. terrosus	" Powderville	June 16 "	274	155	41	in sand bank along Powder River	3750'
213331	565	♀	" " "	" " " "	" "	210	116	41	" " " " " "	" "
213311	566	♂	<sup>Peromyscus man. osgoodi</sup> Peromyscus m. osgoodi	" " " "	" "	155	59	21	" " " " " "	" "
213336	567	♀	Citellus tridecemlineatus pallidus	" " " "	June 17 "	247	86	35	" " " " " "	" "
213337	568	♀	Citellus t. pallidus	" " " "	" "	183	65	32	" " " " " "	" "
213365	569	♂	Perognathus fasciatus <sup>olivaceo-griseus</sup> <del>fasciatus</del>	" " " "	" "	122	48	19	" " " " " "	" "
213301	570	♂	Peromyscus maniculatus osgoodi	" " " "	" "	145	58	19	" " " " " "	" "
213332	571	♂	<sup>Dipodomys</sup> Perodipus o. terrosus	" " " "	" "	272	154	42	" " " " " "	" "
213341	572	♂	Thomomys talpoides bullatus	" " " "	" "	216	59	28	" " " " " "	" "
213342	573	♀	" " "	" " " "	" "	158	41	25	" " " " " "	" "
213343	574	♀	" " "	" " " "	" "	146	40	24	" " " " " "	" "
213333	575	♂	<sup>Dipodomys</sup> Perodipus o. terrosus	" " " "	June 18 "	263	142	42	" " " " " "	" "

Field notes carded to No. 1448

213334	576	♂	<i>Dipodomys</i> <i>Perodipus</i> <i>o. terrosus</i>	Montana, Powderville	June 18 1916	273	156	41	in sandy soil along Powder River
213302	577	♂	<i>Peromyscus</i> man. <i>osgoodi</i> <i>Peromyscus</i> m. <i>osgoodi</i>	"	"	158	59	19	" " " " " "
213344	578	♂ y	<i>Thomomys</i> <i>t. bullatus</i> <i>t. pallidus</i>	"	"	150	38	25	" " " " " "
213338	579	♂	<i>Citellus</i> <i>t. pallidus</i> <i>t. pallidus</i>	"	"	255	82	34	" " " " " "
213339	580	♀	<i>Citellus</i> <i>t. pallidus</i>	"	"	243	87	35	" " " " " "
223774	581		<i>Pipistrellus</i> <i>t. pallidus</i>	"	June 19 "				(probably old skull)?? near timber " " " " 12 miles S.W.
213388	582	♀	<i>Citellus</i> <i>t. pallidus</i> <i>t. pallidus</i>	"	"	260	92	34	in sandy soil " " " "
213345	583	♂	<i>Thomomys</i> <i>talpoides</i> <i>bullatus</i>	"	"	239	70	31	" " " " " "
213303	584	♂	<i>Peromyscus</i> <i>maniculatus</i> <i>osgoodi</i>	"	"	154	63	20	" " " " " "
213304	585	♂	<i>Peromyscus</i> man. <i>osgoodi</i>	"	"	156	63	20	" " " " " "
213305	586	♂	<i>Peromyscus</i> man. <i>osgoodi</i>	"	"	160	68	21	" " " " " "
213306	587	♀	<i>Peromyscus</i> man. <i>osgoodi</i>	"	"	162	69	20	" " " " " "
213353	588	♂	<i>Sylvilagus</i> <i>leucurus</i> <i>leucurus</i>	" Broadus 15 mi S.W	June 20 "	337	43	81	on prairie near coulee.
213363	589	♀	<i>Cynomys</i> <i>ludovicianus</i>	"	June 21 "	370	72	60	" " " " " "
213354	590	♀	<i>Sylvilagus</i> <i>auduboni</i> <i>auduboni</i>	" 25 "	June 22 <sup>21</sup> "	408	51	93	in sagebrush near rough hills
213355	591	♀	"	"	" 22 "	420	54	102	" " " " " " 17 embryos
213356	592	♂	"	"	"	425	58	98	" " " " " "
213357	593	♂	"	"	"	420	60	95	" " " " " "
213358	594	♂	"	"	"	409	45	103	" " " " " "
213359	595	♂	"	"	"	406	46	97	" " " " " "
213360	596	♀	"	"	"	356	41	89	" " " " " "
213361	597	♂	"	"	"	368	46	91	" " " " " "
213362	598	♀	"	"	"	311	41	82	" " " " " "
213366	599	♀	<i>Eptesicus</i> <i>fuscus</i>	" Moorhead	June 23 "	106	41	12	295 ex " " " "
213346	600	♂	<i>Eutamias</i> m. <i>pallidus</i>	"	June 24 "	221	104	32	in " " among Pinus

Field notes carded to No. 1118

213347	601	♂	<i>Eutamias m. pallidus</i>	Montana, Moorhead	June 24, 1916	202	90	32	in rough hills among Pinus	300
213348	602	♂	<i>Eutamias m. pallidus</i>	"	"	176	89	30	"	300
213307	603	♂	<i>Peromyscus man. osgoodi</i>	"	"	172	75	21	"	300
213316	604	♂	<i>Microtus</i>	"	June 25	182	56	32	under rosebrush near high hills	300
213317	605	♀	"	"	"	175	38	22	"	300
213318	606	♂	"	"	"	167	36	20	along Powder River	300
213319	607	♀	"	"	"	160	37	21	"	300
213320	608	♀	"	"	"	173	40	21	"	300
213321	609	♂	"	"	"	155	32	21	"	300
213322	610	♀	"	"	"	130	29	19	"	300
213349	611	♂	<i>Eutamias m. pallidus</i>	"	"	201	90	31	"	300
213308	612	♂	<i>Peromyscus man. osgoodi</i>	"	"	158	63	20	"	300
213309	613	♂	<i>Peromyscus man. osgoodi</i>	"	"	152	58	19	"	300
213310	614	♀	<i>Peromyscus man. osgoodi</i>	"	"	172	69	19	"	300
213367	615	♀	<i>Corynorhinus taffinesqui pallascens</i>	" 2 miles S.	"	109	51	11	318 one embryo in crevice in sandstone cliff	300
213368	616	♀	"	"	"	108	50	11	310 " " " "	300
213369	617	♀	"	"	"	106	52	12	305 " " " "	300
213370	618	♂	"	"	"	108	53	11	306 " " " "	300
213371	619	♀	"	"	"	103	51	12	305 one embryo " " " "	300
213372	620	♀	"	"	"	108	51	11	308 " " " "	300
213373	621	♀	"	"	"	109	53	12	312 " " " "	300
213374	622	♀	"	"	"	105	51	12	314 " " " "	300
213375	623	♀	"	"	"	110	51	11	302 " " " "	300
213376	624	♀	"	"	"	106	50	11	315 " " " "	300
213377	625	♀	"	"	"	109	50	12	320 " " " "	300

Loaned to Food Research Laboratory, Biol. Sur.

213378	626	♀	Corynorhinus	Montana, Moorhead	June 25, 1916	104	47	10	298	one embryo	in crevices in sandstone cliff.
213379	627	♀	"	"	"	109	50	12	306	"	"
213323	628	♀	Microtus	"	June 26	174	43	19		under rose brush	along Powder River
213324	629	♀	"	"	"	136	32	20		"	"
213325	630	♀	"	"	"	149	36	20		"	"
213326	631	♂	"	"	"	140	35	20		"	"
213327	632	♂	"	"	"	174	59	23		"	near high hill
213328	633	♀	"	"	"	176	59	22		"	"
213364	634	♀	Neotoma cinerea orolestes	"	"	273	119	35		in crevice in sandstone ledge	"
213311	635	♀	Peromyscus man. osgoodi	"	"	162	69	21		"	"
213312	636	♂	Peromyscus man. osgoodi	"	"	154	63	20		"	"
213350	637	♀	Eutamias m. pallidus	"	"	221	103	32		"	"
213755	638	♀	Microtus	"	June 27	171	58	19		under rose brush	along Powder River
213756	639	♂	"	"	"	168	40	21		"	"
213827	640	♀	Sciurus hudsonicus del. leucurus	Head of Indian Creek	June 27	366	155	55		in pine timber	along Indian Creek near head.
213817	641	♂	Cynomys ludoricianus	Ashland 15 miles S.W.	June 28	390	84	61		on prairie	near Otter Creek
213818	642	♂	"	"	"	401	96	60		"	"
213757	643	♂	Microtus lagdeni	" 10 "	June 29	166	41	21		in meadow	along "
213825	644	♀	Thomomys talpoides bullatus	"	"	209	67	30		"	"
213786	645	♀	Peromyscus maniculatus osgoodi	"	"	166	61	20		"	"
213822	646	♀	Sylvilagus auduboni haringi	"	"	390	41	98		on prairie	"
213826	647	♂	Thomomys talpoides bullatus	"	June 30	225	55	30		in pine woods	- Custer National Forest
213790	648	♂	Eutamias pallidus	"	"	195	96	30		"	"
213614	649	♂	Thomomys talpoides bullatus	Lame Deer - 7 miles eas	July 1	225	60	30		near divide	- in pine timber
213616	650	♂	Sciurus hudsonicus del. leucurus	"	"	348	136	60		"	"

Field notes carded to No. 1118

213617	651	♂	<i>Sciurus hudsonicus</i> <del>lake</del> <i>lake</i> <i>Montana</i>	Lame Deer 7 miles east	July 1, 1916	361	146	57	near divide - in Pine timber
213618	652	♂	<i>Eutamias m. pallidus</i>	" Lame Deer	July 4, 1916	213	100	33	around sandstone ledge near Lame Deer Creek
213619	653	♂	<i>Eutamias m. pallidus</i>	" "	" "	211	93	34	" " " "
213620	654	♀	<i>Eutamias m. pallidus</i>	" "	" "	223	97	34	" " " "
213626	655	♀	<i>Microtus</i>	" "	" "	151	41	20	under rose brush
213623	656	♂	<i>Peromyscus man. osgoodi</i>	" "	" "	144	57	21	" " " "
213627	657	♂	<i>Microtus haydeni</i>	" Crow Agency	July 6	167	39	21	" " " Bighorn River
213628	658	♂	"	" " "	" "	156	39	21	" " " "
213629	659	♂	"	" " "	" "	160	39	20	" " " "
213630	660	♂	"	" " "	" "	156	39	21	" " " "
213631	661	♀	"	" " "	" "	146	35	20	" " " "
213632	662	♀	"	" " "	" "	167	40	21	" " " "
213633	663	♀	"	" " "	" "	106	26	19	" " " "
213624	664	♀	<i>Peromyscus man. osgoodi</i>	" " "	" "	135	57	21	" " " "
213634	665	♂	<i>Microtus haydeni</i>	" " "	July 7, 1916	157	36	20	" " " "
213659	666	♂	"	" " "	" "	159	38	20	" " " "
213635	667	♂	" <i>haydeni</i>	" " "	" "	157	40	21	" " " "
213636	668	♂	"	" " "	" "	151	37	20	" " " "
213637	669	♂	"	" " "	" "	166	41	20	" " " "
213638	670	♂	"	" " "	" "	166	39	21	" " " "
213639	671	♂	"	" " "	" "	150	33	20	" " " "
213640	672	♀	"	" " "	" "	153	41	20	" " " "
214211	673	♀	" <i>haydeni</i>	" " "	" "	128	32	20	" " " "
213641	674	♀	"	" " "	" "	144	32	20	" " " "
213642	675	♀	" <i>haydeni</i>	" " "	" "	164	36	20	" " " "

214212	676	♀	Microtus talpoides	Montana, Crow Agency
214213	677	♀	"	"
213643	678	♀	"	"
214214	679	♀	"	"
214215	680	♀	"	"
214216	681	♀	"	"
213644	682	♀	"	"
214217	683	♂	"	"
214218	684	♂	"	"
214219	685	♂	"	"
214220	686	♂	"	"
214295	687	♂	Peromyscus leucopus aridulus	"
214296	688	♂	Peromyscus l. aridulus	"
213621	689	♂	Eutamias	"
213625	690	♂	Sorex p. haydenii	"
213615	691	♀	Thomomys talpoides bullatus	"
213645	692	♂	Microtus talpoides	"
213646	693	♂	"	"
213647	694	♀	"	"
213648	695	♀	"	"
213649	696	♀	"	"
213650	697	♀	"	"
213651	698	♀	"	"
214221	699	♀	"	"
214222	700	♀	"	"

July 7, 1916	114	28	18	under Rosebrush near Little Bighorn River
"	120	28	19	"
"	142	37	20	"
July 8.	171	44	20	"
"	166	35	20	"
"	146	37	20	"
"	144	39	19	"
"	138	30	20	"
"	155	27	21	"
"	167	37	21	"
"	163	38	21	"
"	186	79	23	"
"	173	75	21	"
"	223	104	34	"
"	93	37	12	"
July 9	233	67	30	on prairie
July 10	161	39	20	under Rosebrush
"	143	37	21	"
"	152	40	20	"
"	147	33	20	"
"	172	37	21	"
"	157	37	21	"
"	159	40	21	"
"	115	31	20	"
"	118	28	19	"

Field notes carded to No 1118

214297	701	♂	<i>Peromyscus man. osgoodi</i>	Montana, Crow Agency	July 10, 1916	161	69	21	under Rosebrush near Little Bighorn River
213652	702	♂	<i>Microtus harrisi</i>	" "	July 11, 1916	163	38	20	" " " "
213653	703	♀	" "	" "	"	157	34	20	" " " "
213654	704	♀	" "	" "	"	159	34	20	" " " "
213655	705	♀	" <i>harrisi</i>	" "	"	136	32	20	" " " "
214317	706	♂	<i>Mephitis hudsonica</i>	" "	"	430	176	61	" " " "
214298	707	♀	<i>Peromyscus leucopus aridulus</i>	" "	July 12, 1916	181	75	23	" " " "
213622	708	♀	<i>Eutamias pallidus</i>	" "	"	210	94	34	" " " "
213656	709	♂	<i>Microtus harrisi</i>	" "	"	162	41	21	" " " "
214223	710	♂	" <i>harrisi</i>	" "	"	136	32	20	" " " "
213657	711	♂	" "	" "	"	158	41	21	" " " "
213658	712	♀	" <i>harrisi</i>	" "	"	163	42	20	" " " "
214224	713	♀	" <i>harrisi</i>	" "	"	141	35	20	" " " "
214225	714	♀	" "	" "	"	123	29	20	" " " "
214288	715	♀	<i>Thomomys talpoides bullatus</i>	" "	"	225	72	30	along R.R. embankment
214365	716	♂	<i>Reithrodontomys megalotis dychei</i> <i>Fiber z. bethicus</i> <i>Dipodomys</i>	" "	"	130	59	12	" " " "
214314	717	♀	<i>Ondatra</i>	" "	July 13	515	230	73	in slough
214286	718	♀	<i>Citellus t. pallidus</i>	" "	"	232	91	35	on prairie
214226	719	♀	<i>Microtus harrisi</i>	" "	"	157	38	20	under Rosebrush
214227	720	♀	" <i>harrisi</i>	" "	"	155	35	21	" " " "
214228	721	♀	" "	" "	"	146	37	20	" " " "
214229	722	♀	" "	" "	"	126	31	20	" " " "
214230	723	♀	" "	" "	"	125	30	19	" " " "
214231	724	♂	" "	" "	"	164	40	21	" " " "
214232	725	♂	" "	" "	July 14	136	36	20	" " " "

214233	726	♀	Microtus	Montana, Crow Agency	July 14, 1916	135	36	20	under Rosebrush along Little Bighorn River
214299	727	♂	<sup>Peromyscus man. osgoodi</sup> Peromyscus maniculatus osgoodi	" " "	" "	146	63	20	" " " " "
214234	728	♂	Microtus	" " "	July 15	169	43	20	" " " " "
214235	729	♀	"	" " "	" "	174	42	20	" " " " "
214236	730	♀	"	" " "	" "	153	39	20	" " " " "
214237	731	♀	"	" " "	" "	142	36	20	" " " " "
214238	732	♀	"	" " "	" "	140	32	20	" " " " "
214291	733	♂	Eutamias pallidus	" " "	" "	224	106	33	" " " " "
214300	734	♂	<sup>Peromyscus man. osgoodi</sup> Peromyscus maniculatus osgoodi	" " "	" "	153	62	19	" " " " "
214239	735	♂	Microtus	" " "	July 16	168	40	20	" " " " "
214240	736	♂	"	" " "	" "	165	38	20	" " " " "
214241	737	♂	"	" " "	" "	172	41	22	" " " " "
214242	738	♂	"	" " "	" "	183	50	21	" " " " "
214243	739	♂	"	" " "	" "	156	36	20	" " " " "
214244	740	♂	"	" " "	" "	162	40	21	" " " " "
214245	741	♀	"	" " "	" "	174	41	20	" " " " "
214246	742	♀	"	" " "	" "	163	41	20	" " " " "
214247	743	♀	"	" " "	" "	142	34	21	" " " " "
214248	744	♀	"	" " "	" "	160	35	20	" " " " "
214249	745	♀	"	" " "	" "	164	36	20	" " " " "
214250	746	♂	"	" " "	" "	157	38	21	" " " " "
214251	747	♀	"	" " "	" "	169	44	21	" " " " "
214252	748	♀	"	" " "	" "	167	39	20	" " " " "
214253	749	♀	"	" " "	" "	150	37	21	" " " " "
214254	750	♀	"	" " "	" "	152	41	21	" " " " "



Field notes carded to No 1118

214301	751	♂	<i>Peromyscus man. osgoodi</i>	Montana, Crow Agency	July 17, 1916	152	66	19	under rosebrush	along Little Bighorn River
214302	752	♂	<i>Peromyscus man. osgoodi</i>	"	"	151	66	20	"	"
	753	♂	<i>Microtus haydeni</i>	"	"	158	37	21	"	"
214256	754	♀	"	"	"	161	41	20	"	"
214257	755	♀	"	"	"	156	36	20	"	"
214258	756	♂	"	"	July 18	177	38	21	"	"
214259	757	♂	"	"	"	162	31	20	"	"
214260	758	♂	"	"	"	180	46	21	"	"
214261	759	♂	"	"	"	153	29	20	"	"
214262	760	♀	"	"	"	175	38	20	"	"
214263	761	♀	"	"	"	162	38	20	"	"
214264	762	♀	"	"	"	138	34	20	"	"
214265	763	♀	"	"	July 19	169	34	21	"	"
214266	764	♀	"	"	"	154	37	20	"	"
214267	765	♀	"	"	"	160	41	20	"	"
214268	766	♀	"	"	"	157	36	20	"	"
214269	767	♂	"	"	"	156	40	20	"	"
214306	768	♂	<i>Reithrodontomys megalotis dychei</i>	"	July 20	139	68	17	"	"
214270	769	♂	<i>Microtus haydeni</i>	"	"	162	39	21	"	"
214271	770	♂	"	"	"	172	37	21	"	"
214272	771	♂	"	"	"	176	43	20	"	"
214273	772	♂	"	"	"	160	35	20	"	"
214274	773	♂	"	"	"	146	33	20	"	"
214275	774	♀	"	"	"	152	34	19	"	"
214276	775	♀	"	"	"	166	39	21	"	"

Field notes recorded to No 178

214277	776	♀	<i>Microtus</i>	Montana, Crow Agency
214278	777	♀	"	"
214279	778	♂	"	"
214280	779	♂	"	"
214281	780	♂	"	"
214282	781	♂	"	"
214283	782	♂	"	"
214284	783	♂	"	"
214285	784	♀	"	"
214292	785	♂	<i>Eutamias pallidus</i>	"
214293	786	♀	"	"
214311	787	♀	<i>Eptesicus fuscus pallidus</i>	"
214312	788	♀	"	"
214287	789	♀	<i>Citellus</i> <sup>p. pallidus</sup> <del>13-lineatus</del>	"
214289	790	♀	<i>Thomomys talpoides bullatus</i>	"
214290	791	♀	"	"
214294	792	♂	<i>Eutamias pallidus</i>	"
214308	793	♀	<i>Myotis</i> <sup>l. carissima</sup> <del>subulatus</del>	"
214313	794	♂	<i>Eptesicus fuscus pallidus</i>	"
214303	795	♂	<i>Peromyscus maniculatus osgoodi</i>	"
214304	796	♀	<i>Peromyscus man. osgoodi</i>	"
214315	797	♀	<i>Fiber zibethicus cinnamominus</i>	"
214316	798	♂	<i>Fiber zibethicus cinnamominus</i>	"
214309	799	♂	<i>Myotis</i> <sup>l. carissima</sup> <del>subulatus</del>	"
214310	800	♀	<i>Myotis l. carissima</i>	"

July 20, 1916	167	42	21	under rosebrush along Little Bighorn River
"	148	37	20	"
July 23	162	35	22	"
"	160	34	20	"
"	157	43	20	"
"	165	37	22	"
"	162	39	20	"
"	167	39	22	"
"	169	39	21	"
"	182	71	33	"
"	214	101	33	"
July 24	115	48	14	330 " " "
"	112	49	12	307 " " "
"	231	86	34	on prairie " " "
July 25	227	63	31	" " " "
"	185	56	27	" " " "
"	206	100	31	" " " "
July 26	96	41	12	263 " " "
"	105	45	12	290 " " "
July 27	161	70	20	" " " "
July 28	165	67	20	" " " "
"	398	184	71	" " " "
"	523	226	80	" " " "
July 30	91	39	11	263 " " "
July 31	92	37	11	263 " " "

Field notes carded to N. 1118

214714	801	♂	<sup>augustinus</sup> <i>Sylvilagus a. baileyi</i>	Montana, Crow Agency
214708	802	♂	<i>Neotoma cinerea orolestes</i>	" "
214709	803	♀	" "	" "
214715	804	♂	<i>Eptesicus fuscus pallidus</i>	" "
214713	805	♂	<i>Cynomys ludoricianus</i>	" "
214710	806	♂	<i>Neotoma cinerea orolestes</i>	" "
214711	807	♀	" "	" "
214712	808	♀	" "	" "

224704	809	♂	<i>Perognathus</i>	Mt. Hebron, California
224705	810	♂	"	" "
224706	811	♂	"	" "
224707	812	♀	"	" "
224684	813	♂	<i>Citellus b. oregonus</i>	" "
224711	814	♂	<i>Scapanus</i>	" "
224696	815	♀	<i>Eutamias</i>	" "
224682	816	♂	<i>Citellus b. oregonus</i>	" "
224708	817	♂	<i>Perognathus</i>	" "
224697	818	♂	<i>Eutamias</i>	" "
224698	819	♂	"	" "
224690	820	♂	"	" "
224691	821	♂	"	" "
224692	822	♂	"	" "
224693	823	♀	"	" "
224695	824	♂	"	" "
224694	825	♀	"	" "

August 8, 1916	350	51	97	along little Bighorn River
" "	380	165	41	" " " "
" "	361	154	46	" " " "
August 9	109	44	14	304 .. .. .
" "	403	83	65	on prairie
August 11	374	160	40	in cottonwood tree
" "	310	139	39	" "
" "	234	99	37	" "

May 5, 1917	171	90	23	on sandy sagebrush prairie
" "	170	88	24	" " " "
" "	166	87	22	" " " "
" "	171	91	24	" " " "
" "	273	68	43	" " " "
" "	175	37	23	" " " "
May 6, 1917	202	90	32	" " " "
" "	254	60	42	" " " "
" "	148	70	21	" " " "
" "	192	84	30	" " " "
" "	182	83	29	" " " "
" "	190	83	29	" " " "
May 7, 1917	190	83	30	" " " "
" "	187	83	30	" " " "
" "	141	32	29	Tail broken off
" "	183	84	29	" " " "
" "	186	86	30	" " " "

224680	826	♀	<i>Citellus b. oregonus</i>	Mt. Hebron, California
224683	827	♀	<i>Oitellus b. oregonus</i>	" "
224684	828	♀	<i>Oitellus b. oregonus</i>	" "
224681	829	♀	<i>Oitellus b. oregonus</i>	" "
224685	830	♀	<i>Oitellus b. oregonus</i>	" "
224688	831	♀	<i>Oitellus b. oregonus</i>	" "
224686	832	♂	<i>Oitellus b. oregonus</i>	" "
224699	833	♀	<i>Eutamias</i>	" "
224709	834	♂	<i>Perognathus p. mollipennis</i>	" "
224700	835	♂	<i>Eutamias</i>	" "
224689A	836	♀	"	" "
224701	837	♀	<i>Citellus b. oregonus</i>	" "
224710	838	♂	<i>Perognathus p. mollipennis</i>	" "
224702	839	♂	<i>Eutamias</i>	" "
224703	840	♀	"	" "
225571	841	♂	<i>Fiber z. cinnamomina</i>	Crow Agency, Montana
225573	842	♀	<i>Eutamias</i>	" "
225807	843	♀	<i>Erethizon epixanthum bruneri</i>	Lodgegrass, "
225474	844	♂	<i>Peromyscus maniculatus osgoodi</i>	Bighorn Mts, "
225475	845	♂	"	" "
225442	846	♂	<i>Zapus</i>	N. Base Bighorn Mts, "
225441	847	♂	"	" " " "
225439	848	♂	"	" " " "
225476	849	♂	<i>Peromyscus</i>	" " " "
225477	850	♂	"	" " " "

May 8, 1917	231	51	38	on sandy sagebrush prairie
" "	259	65	40	" " " "
" "	257	63	40	" " " "
" "	262	70	41	" " " "
" "	266	62	40	" " " "
" "	236	53	37	" " " "
" "	262	56	41	" " " "
" "	202	91	30	" " " "
May 9, 1917	167	86	22	" " " "
" "	162	60	29	" " " "
" "	193	87	30	" " " "
" "	271	71	42	" " " "
May 11, 1917	167	91	22	" " " "
" "	"	"	"	" " " "
" "	"	"	"	" " " "
May 21, 1917	560	238	80	12 miles south in slough weight 2 1/4 lbs
May 22, 1917	215	99	31	14 " " on rocky hillside
May 23, 1917	715	210	95	15 " southwest in underbrush on hillside
May 26, 1917	151	59	19	Spring Creek 6500' elevation
May 27, 1917	157	66	20	" " " "
May 28, 1917	213	130	31	Rottengrass Creek
" "	205	121	31	" " " "
" "	210	123	32	" " " "
" "	156	62	20	" " " "
" "	172	75	20	" " " "

851	225478	♂	Peromyscus	N. Base Bighorn, Mts, Montana	May 28, 1917	156	66	20	Rottengrass Creek
852	225479	♂	"	" " "	"	172	77	21	" "
853	225480	♀	"	" " "	"	161	67	20	" "
854	2254808	♀	"	" " "	"	141	60	19	" " odd skull
855	225481	♀	"	" " "	"	122	51	18	" "
856	225572	♀	Sylvilagus	St. Xavier "	May 31, 1917	362	40	91	4 mi N. on Bighorn River
857	225573	♀	Neotoma cinerea	Montana, 8 miles S.E. Huntley	June 6, 1917	350	146	41	around sandstone ledge - caught at mouth of nest
858	225514	♀	"	" " "	"	135	41	24	mother # 857 - caught in nest Indian Creek
859	225515	♀	"	" " "	"	144	48	25	" " "
860	225516	♀	"	" " "	"	141	46	25	" " "
861	225517	♀	"	" " "	"	139	44	24	" " "
862	225518	♀	"	" " "	"	130	43	22	" " "
863	225519	♀	"	" " "	"	135	46	22	" " "
864	225482	♂	Peromyscus	" " "	"	145	56	19	around sandstone ledge
865	225483	♂	"	" " "	"	143	54	20	" " "
866	225484	♂	"	" " "	"	149	60	20	" " "
867	225485	♂	"	" " "	"	145	59	20	" " "
868	225486	♀	"	" " "	"	157	65	21	" " "
869	225487	♀	"	" " "	"	147	58	20	" " "
870	225488	♀	"	" " "	"	142	57	20	" " "
871	225489	♂	"	" " "	June 7 "	162	65	20	" " "
872	225491	♂	"	" " "	"	159	67	20	" " "
873	225492	♂	"	" " "	"	161	64	19	" " "
874	225493	♂	"	" " "	"	150	61	20	" " "
875	225494	♀	"	" " "	"	162	62	19	" " "

1917

225495	876	♀	Peromyscus	Montana, 8 miles S.E. Hantley
225434	877	♀	Microtus <i>haydeni</i>	" " " "
225496	878	♀	Peromyscus	" 8 miles N.W. Laurel
225497	879	♂	"	" " "
225498	880	♀	"	" " "
225499	881	♂	"	" " "
225500	882	♂	"	" " "
	883	♂	<i>Lepus townsendii campanius</i>	" 2 miles N.W. "
225501	884	♂	Peromyscus	" 10 miles N.W. Park City
225502	885	♀	"	" " "
225503	886	♀	"	" " "
225504	887	♀	"	" " "
225505	888	♀	"	" Columbus
225506	889	♀	"	" " "
225507	890	♀	"	" " "
225508	891	♀	"	" " "
225509	892	♂	"	" Reed's Point
225510	893	♀	"	" " "
225957	894	♀	<i>Cynomys l. Ludovicianus</i>	" Greycliff
225511	895	♀	Peromyscus	" Big Timber
	896	♀	<i>Marmota flaviventris</i>	" Big Timber Creek
225854	897	♀	"	" " "
	898	♀	<i>Eutamias</i>	" " "
	899	♂	<i>Marmota flaviventris</i>	" " "
	900	♀	<i>Citellus r. richardsonii</i>	" " "

June 7, 1917	158	64	19	around sandstone ledge	Indian Creek
" "	136	31	20	in grass near "	" "
June 9	174	70	20	around sandstone ledge in canyon	
" "	156	66	20	" " " "	
" "	161	66	20	" " " "	
" "	162	65	20	" " " "	
" "	160	64	20	" " " "	
June 8	610	108	147	on prairie	
June 11	149	61	21	Valley Creek	
" "	176	76	21	" "	
" "	154	60	19	" "	
" "	163	66	20	" "	
June 12	164	73	20	among rocks on hillside	
" "	164	68	19	" " " "	
" "	150	57	19	" " " "	
" "	151	63	20	" " " "	
June 13	150	62	20	" " " "	
" "	141	60	21	" " " "	
" "	371	84	61	in Yellowstone River Valley	
June 14	174	75	21	Upper Deer Creek - 6 miles East	
" "	422	130	71	5 miles north of mouth	
" "	372	111	63	" " " "	
June 15	225	93	34	8 " " " "	
" "	684	208	95	East foothills Crazy mts	
" "	305	84	46	" " " "	

Remington Kellogg.

Field notes carded to No. 1848

1917

	901	♀	<i>Marmota flaviventris</i>	Montana, Big Timber Creek	June 15, 1917	537	141	80	East foothills Crazy mts.
225573	902	♀	<i>Erethizon</i>	" " Crazy Mountains	June 16, 1917	680	225	104	Near Head Big Timber Creek
225440	903	♂	<i>Zapus</i> <del>sp.</del> <sup><i>idahoensis</i></sup>	" " "	June 17, 1917	230	129	32	Near Head Big Timber Creek
225512	904	♂	<i>Peromyscus</i>	" " "	" "	151	54	20	" " " " "
225407	905	♂	<del><i>Sorex</i></del> <sup><i>Sorex l. navigator</i></sup> <i>Neosorex</i>	" " "	" "	160	75	20	" " " " "
225438	906	♂	<i>Sorex</i> <sup><i>l. navigator</i></sup>	" " "	" "	151	67	19	" " " " "
225906	907	♀	<i>Thomomys</i>	" " "	" "	228	67	28	" " " " "
225894	908	♂	<i>Sciurus</i> <del><i>h. montanus</i></del>	" " "	" "	330	129	51	" " " " "
225973	909	♀	<i>Eutamias</i>	" " "	June 18, 1917	225	101	32	" " " " "
225964	910	♂	<i>Microtus mordax</i>	" " "	" "	184	62	22	" " " " "
225890	911	♀	<i>Sciurus</i> <del><i>h. ventrum</i></del>	" " "	" "	339	138	50	" " " " "
	912	♀	<i>Thomomys</i>	" " "	" "	218	64	28	" " " " " five embryos 10mm long
225925	913	♀	<i>Microtus</i> <del><i>name</i></del>	" " "	June 19 "	139	32	18	" " " " "
226874	914	♀	<i>Erethizon</i>	" " "	" "	710	240	105	" " " " "
	915	♂	<i>Lepus bairdi</i>	" " "	" "	427	32	133	" " " " "
226867	916	♂	<i>Microtus</i>	" " "	June 20 "	153	37	19	" " " " " add skull " 6500' Altitude
226868	917	♀	<i>Eutamias</i>	" " "	" "	214	95	33	" " " " " add skull " "
225802	918	♂	<i>Marmota flaviventris</i>	" " "	" "	555	160	90	Big Timber Creek 5200' "
225803	919	♀	" "	" " "	June 21, 1917	525	150	85	" " " " "
225985	920	♂	<i>Evotomys</i> <del><i>gambelii</i></del>	" " "	" "	132	34	19	" " " " "
225912	921	♂	<i>Thomomys</i>	" " "	" "	202	56	26	" " " " "
225914	922	♀	" "	" " "	" "	196	54	26	" " " " "
225911	923	♀	" "	" " "	" "	201	60	27	" " " " "
225903	924	♀	" "	" " "	" "	205	57	26	" " " " "
225913	925	♂	" "	" " "	" "	191	48	25	" " " " "

225932	926	♂	Microtus		Montana	Crazy Mountains
225939	927	♀	"	name	"	"
225937	928	♂ y	"	haploid	"	"
225938	929	♀ y	"	haploid	"	"
225930	930	♀	Microtus		"	"
225962	931	♀	Microtus mordax		"	"
226033	932	♂	Peromyscus		"	"
225975	933	♂	Eutamias		"	"
226088	934	♀	Zapus p.	idahoensis ✓	"	"
226091	935	♂	"	"	"	"
226090	936	♂	"	"	"	"
226089	937	♀	"	"	"	"
225875	938	♀	Citellus r. richardsonii		"	"
226097	939	♂	Myotis	carissima l. lucifugus	"	Big Timber
226096	940	♀	Myotis	carissima l. lucifugus	"	"
225931	941	♂	Microtus		"	"
225940	942	♀	"		"	"
226095	943	♀	Myotis	carissima l. lucifugus	"	"
226034	944	♀	Peromyscus		"	"
226030	945	♂ y	"		"	"
225933	946	♀	Microtus		"	"
225926	947	♀	"		"	"
225934	948	♀	"		"	"
225935	949	♂	"		"	"
225936	950	♂	"		"	"

1917						
June 21, 1917	156	39	19	Big Timber Creek	5200' Altitude	
"	151	37	18	"	"	
"	103	27	17	"	"	
"	91	27	16	"	"	
"	170	41	18	"	"	
"	186	64	22	"	"	
"	155	65	21	"	"	
"	211	93	31	"	"	
"	226	138	31	"	"	
"	225	133	31	"	"	
"	230	136	30	"	"	
"	224	135	31	"	"	
"	301	70	45	East foothills Crazy Mts		
June 23, 1917	90	42	11	Exp. 259	Boulder Creek	
June 24, 1917	83	39	"	"	"	
"	155	44	21	"	"	
"	166	44	21	"	"	
"	90	41	12	Exp. 268	"	one embryo
June 25, 1917	147	61	19	"	"	five embryos
"	119	54	19	"	"	
June 26, 1917	150	38	20	"	"	
"	191	55	21	"	"	
"	156	41	20	"	"	
"	163	47	21	"	"	
"	161	43	19	"	"	



				1917					
226009	951	♂	Peromyscus	Montana, Big Timber	June 26, 1917	152	68	21	Boulder Creek
226010	952	♂	Peromyscus	" Boulder Creek	June 27, 1917	176	77	21	8 miles South Big Timber
226032	953	♂	"	" " "	" " "	158	71	20	" " " " "
226012	954	♀	"	" " "	" " "	167	77	21	" " " " "
226011	955	♀	"	" " "	" " "	178	77	21	" " " " "
226031	956	♀	"	" " "	" " "	156	66	19	" " " " "
225898	957	♀	Sciurus h. ventorum	" West Boulder Creek	June 28, 1917	329	122	51	18 miles S.E. Livingston Absaroko Nat. Forest
225872	958	♂	"	" " "	" " "	334	125	51	" " " " "
225891	959	♂	"	" " "	" " "	332	131	49	" " " " "
225910	960	♀	Thomomys	" " "	" " "	207	65	27	" " " " "
225909	961	♀	"	" " "	" " "	199	65	25	" " " " "
225905	962	♂	"	" " "	" " "	211	60	26	" " " " "
225904	963	♂	"	" " "	" " "	213	71	27	" " " " "
225907	964	♂	"	" " "	" " "	211	57	26	" " " " "
225908	965	♀	"	" " "	" " "	204	65	25	" " " " "
225994	966	♀	Evotomys	" " "	" " "	141	40	18	" " " " "
225864	967	♂	Fiber z.	" " "	" " "	584	262	81	" " " " "
225865	968	♂	"	" " "	" " "	536	232	79	" " " " "
226474	969	♀	Marmota	" " "	June 30, 1917	570	146	84	" " " " "
225859	970	♂	Sylvilagus	" " "	" " "	371	49	95	" " " " "
225860	971	♀	"	" " "	" " "	394	45	96	" " " " "
225874	972	♀	Citellus r. richardsonii	" Livingston	July 1, 1917	320	81	45	5 mi S.E.
226007	973	♂	Mus musculus	" "	July 6, 1917	157	74	18	" " " " "
225955	974	♀	Marmota flaviventris	" Emigrant Gulch	July 9, 1917	307	94	59	3 miles S.E. Chico 6500 ft elevation
226020	975	♂	Peromyscus	" "	July 10, 1917	168	72	21	" " " " "

226029	976	♂	Peromyscus	Montana, Emigrant Gulch
226019	977	♀	"	"
225988	978	♂	Evotomys y. palli	"
225969	979	♀	Microtus	"
225968	980	♀	" <sup>m. montan.</sup>	"
225877	981	♀	Citellus l. cinerascens Callospermophilus	"
225889	982	♀	Ochotona ninta leahli	"
226473	983	♀	Marmota flaviventris	"
225878	984	♀	Neotoma cinerea	"
225966	985	♀	Microtus	"
225927	986	♀	"	"
225989	987	♂	Evotomys y. palli	"
226025	988	♂	Peromyscus	"
226023	989	♂	"	"
226017	990	♀	"	"
226021	991	♀	"	"
226015	992	♀	"	"
224024	993	♂	"	"
226022	994	♀	"	"
225880	995	♂	Neotoma cinerea	"
225895	996	♀	Sciurus l. ...	"
225961	997	♂	Microtus	"
225971	998	♂	"	"
225967	999	♀	"	"
226087	1000	♀	Zapus 1. <sup>idahoensis</sup>	"

1917			Absaroka National Forest		
July 10, 1917	157	68	21	3 miles S.E. Chico	6500 feet elevation
"	162	73	20	"	"
"	125	36	18	"	"
"	183	63	21	"	"
"	143	51	20	"	"
"	297	107	45	"	7000 "
"	196		32	"	"
"	556	179	77	"	6500 "
July 11, 1917	359	145	45	"	"
"	183	63	20	"	"
"	149	51	20	"	"
"	152	46	19	"	"
"	172	77	20	"	"
"	137	42	21	"	" tail broken off
"	166	72	20	"	"
"	171	70	20	"	"
"	138	62	19	"	"
"	181	82	21	"	"
July 12, 1917	180	80	20	"	"
"	405	180	47	"	"
"	291	92	49	"	"
"	187	63	22	"	"
"	173	63	21	"	"
"	130	46	19	"	"
"	237	143	31	"	"

Field notes connected to No. 1118

Specimen No.	Field No.	Sex	Species	Location	Date	Weight	Length	Ear	Notes
225987	1001	♀	<i>Eutamias</i>	Montana, Emigrant Gulch	1917, July 12	149	45	19	Absaroka National Forest
226107	1002	♀	<i>Neosorex</i>	" " "	July 13, 1917	142	74	21	3 miles S.E. Chico 6500 feet elevation
225972	1003	♀	<i>Microtus</i>	" " "	" "	172	59	20	" " "
225960	1004	♀	"	" " "	" "	183	66	21	" " "
225965	1005	♀	"	" " "	" "	156	56	21	" " "
225928	1006	♂ <sub>yr</sub>	"	" " "	" "	132	43	19	" " "
226027	1007	♂	<i>Peromyscus</i>	" " "	" "	156	64	21	" " "
226028	1008	♂	"	" " "	" "	167	71	20	" " "
226026	1009	♂	"	" " "	" "	151	64	21	" " "
226018	1010	♂ <sub>yr</sub>	"	" " "	" "	148	65	20	" " "
226016	1011	♀ <sub>yr</sub>	"	" " "	" "	142	65	20	" " "
226109	1012	♀	<i>Neosorex</i>	" " "	July 14, 1917	143	72	18	" " "
225986	1013	♂	<i>Eutamias</i>	" " "	" "	147	45	19	" " "
	1014	♂	"	" " "	" "	119	35	17	" " "
225958	1015	♂	<i>Microtus</i>	" " "	" "	186	60	21	" " "
225969	1016	♀	"	" " "	" "	181	57	21	" " "
225970	1017	♀	"	" " "	" "	122	X	22	" " tail missing
225879	1018	♂	<i>Neotoma</i>	" " "	" "	400	172	47	" " "
226093	1019	♂	<i>Myotis v. interior</i>	" " "	" "	97	45	10	" " "
226108	1020	♀	<i>Neosorex</i>	" " "	July 15, 1917	156	79	20	" " Exp. 262
225959	1021	♀	<i>Microtus</i>	" " "	" "	182	69	21	" " "
225929	1022	♂	"	" " "	" "	149	51	21	" " "
226015	1023	♂	<i>Peromyscus</i>	" " "	" "	151	69	22	" " "
226013	1024	♂	"	" " "	" "	145	64	21	" " "
226546	1025	♂	<i>Thomomys</i>	West W. Fork Gallatin River	July 18, 1917	195	57	21	Gallatin National Forest 6500 feet elevation

Specimen No.	Sex	Species	Location	Date	Weight	Length	Ear	Site	Elevation
226545	♀	Thomomys	Montana, West Fork <sup>West</sup> Gallatin River	July 18, 1917	202	62	22	Gallatin National Forest	6500 feet elevation
226624	♀	Zapus <i>idahoensis</i> ✓	" " " "	July 19, 1917	231	134	32	" " "	" "
226551	♀	Microtus	" " " "	" "	178	64	21	" " "	" "
226556	♀	"	" " " "	" "	144	52	20	" " "	" "
226549	♂	"	" " " "	" "	195	70	20	" " "	" "
226666	♀	<del>Sorex p. navigator</del> Reosorex	" " " "	July 20, 1917	156	75	20	" " "	" "
226553	♀	Microtus	" " " "	" "	190	71	21	" " "	" "
226562	♀	"	" " " "	" "	154	52	19	" " "	" "
226597	♂	"	" " " "	" "	170	45	21	" " "	" "
226596	♂	"	" " " "	" "	161	46	20	" " "	" "
226560	♂	"	" " " "	" "	154	55	20	" " "	" "
226632	♀	Peromyscus	" " " "	" "	180	82	21	" " "	" "
226623	♀	Zapus <i>idahoensis</i> ✓	" " " "	" "	235	141	31	" " "	" "
226489	♀	Sciurus <i>h. v. t. com.</i>	" " " "	" "	334	127	51	" " "	7000 "
226482	♂	Citellus armatus	" " " "	July 20, 1917	281	81	43	" " "	6500 "
226541	♀	Thomomys	" " " "	" "	194	64	26	" " "	" "
226626	♂	Zapus <i>idahoensis</i> ✓	" " " "	" "	231	137	31	" " "	" "
226631	♂	Peromyscus	" " " "	" "	167	74	20	" " "	" "
226559	♂	Microtus	" " " "	" "	194	68	20	" " "	" "
226593	♂	"	" " " "	" "	180	51	20	" " "	" "
226600	♂	"	" " " "	" "	141	39	20	" " "	" "
226601	♀	"	" " " "	" "	165	43	19	" " "	" "
226599	♀	"	" " " "	" "	149	41	19	" " "	" "
226558	♂	"	" " " "	" "	176	55	21	" " "	" "
226554	♂	"	" " " "	" "	153	56	21	" " "	" "

Field notes carded to No. 1118

Specimen No.	Sex	Species	Location	Date	Length	Ear	Tail	Notes
226561	♀	Microtus <del>montanus</del>	Montana, W. Fork <sup>West</sup> Gallatin River	July 21, 1917	189	70	21	Gallatin National Forest 6500 feet elevation
226550	♀	" "	" " " "	" "	165	59	21	" " " "
226676	♂	Sorex <del>obscurus</del>	" " " "	" "	108	43	12	" " " "
226671	♀	Sorex <del>personatus</del>	" " " "	" "	104	42	12	" " " "
226669	♂	Sorex <del>personatus</del>	" " " "	" "	99	38	12	" " " "
226670	♂	Sorex <del>personatus</del>	" " " "	" "	95	40	11	" " " "
226668	♂	Sorex <del>personatus</del>	" " " "	" "	97	38	12	" " " "
226629	♂	Peromyscus	" " " "	July 22, 1917	161	73	21	" " " "
226630	♂	"	" " " "	" "	167	77	21	" " " "
226628	♀	"	" " " "	" "	162	72	19	" " " "
226595	♂	Microtus <del>montanus</del>	" " " "	" "	154	43	21	" " " "
226594	♀	"	" " " "	" "	174	45	19	" " " "
226622	♂	Zapus <del>leucurus</del> <sup>idahoensis</sup>	" " " "	" "	232	140	31	" " " "
226677	♀	Sorex <del>obscurus</del>	" " " "	" "	110	46	13	" " " "
226675	♂	Sorex <del>obscurus</del>	" " " "	" "	116	47	13	" " " "
226484	♂	Citellus armatus	" " " "	" "	266	70	42	" " " "
226483	♀	Citellus armatus	" " " "	" "	276	77	41	" " " "
226538	♀	Thomomys	" " " "	" "	170	55	25	" " " "
226539	♀	"	" " " "	July 23, 1917	158	53	25	" " " "
226672	"	Sorex <del>obscurus</del>	" " " "	" "	92	39	13	" " " "
226555	♀	Microtus <del>montanus</del>	" " " "	" "	156	57	22	" " " "
226592	♀	"	" " " "	" "	141	35	20	" " " "
226598	♀	"	" " " "	July 24, 1917	148	37	19	" " " "
226552	♂	"	" " " "	" "	166	58	20	" " " "
226625	♂	Zapus <del>leucurus</del> <sup>idahoensis</sup>	" " " "	" "	237	146	31	" " " "

226547	1076	♀	Thomomys	Montana, Ward Peak
226548	1077	♀	"	" " "
226534	1078	♀	"	" " "
226537	1079	♀	"	" " "
226542	1080	♀	"	" " "
226493	1081	♀	Sciurus leucotarsus	" " "
226490	1082	♂	"	" " "
226427	1083	♂	Zapus p. princeps	" " "
226492	1084	♀	Sciurus leucotarsus	" " "
226602	1085	♀	Evotomys	" " "
226621	1086	♀	Zapus p. princeps	" " "
226618	1087	♀	"	" " "
226617	1088	♂	"	" " "
226620	1089	♂	"	" " "
226667	1090	♀	<del>Neosorex</del>	" " "
226674	1091	♂	Sorex a. obscurus	" " "
226634	1092	♂	Peromyscus	" " "
226614	1093	♂	Zapus p. princeps	" " "
226619	1094	♂	"	" " "
226491	1095	♂	Sciurus leucotarsus	" " "
226540	1096	♀	Thomomys	" " "
226486	1097	♂	Citellus armatus	" " "
226485	1098	♂	Citellus armatus	" " "
226487	1099	♀	Citellus armatus	" " "
226488	1100	♀	Citellus armatus	" " "

July 27, 1917	205	60	25	Madison National Forest - Washington Creek - 6000 feet
" "	191	58	25	" " " " " "
" "	177	56	25	" " " " " "
" "	160	44	24	" " " " " "
" "	196	56	25	" " " " " "
" "	341	134	51	" " " " " "
July 28, 1917	325	126	50	" " " " " "
" "	227	135	30	" " " " " "
July 29, 1917	341	134	55	" " " " " "
" "	145	40	19	" " " " " "
" "	251	149	32	" " " " " "
" "	227	135	32	" " " " " "
" "	237	139	32	" " " " " "
" "	237	138	32	" " " " " "
" "	166	78	21	" " " " " "
" "	104	35	13	" " " " " (tail mutilated)
July 30, 1917	133	58	20	" " " " " "
" "	226	131	32	" " " " " "
" "	225	126	32	" " " " " "
" "	286	77	54	" " " " " (tail mutilated)
" "	187	46	24	" " " " " "
July 31, 1917	281	79	44	" " " " " "
" "	285	83	45	" " " " " "
" "	290	77	43	" " " " " "
" "	276	73	45	" " " " " "

Field notes carded to No. 1118

226557	1101	♀	Microtus	Montana, Ward Peak	July 31, 1917	204	66	20	Madison National Forest - Washington Creek - 6000 feet.
226543	1102	♀	Thomomys	" " "	" " "	196	56	25	" " " " " "
226544	1103	♀	"	Montana, Ruby Mountains	August 3, 1917	186	53	25	Hinch Creek - 12 miles S.W. Alder
226535	1104	♀	"	" " "	" " "	173	52	24	" " " " "
226633	1105	♂	Peromyscus	" " "	August 4, 1917	166	78	21	" " " " "
226515	1106	♀	Eutamias	" " "	" " "	214	80	32	" " " " "
226510	1107	♀	Neotoma c. cinerea	" " "	" " "	389	153	44	" " " " "
226512	1108	♀	" " "	" " "	" " "	324	144	45	" " " " "
226678	1109	♀	Sorex o. obscurus	" " "	" " "	97	40	12	" " " " "
226513	1110	♂	Eutamias	" " "	August 5, 1917	211	97	32	" " " " "
226517	1111	♀	"	" " "	" " "	197	89	32	" " " " "
226635	1112	♀	Peromyscus	" " "	" " "	166	71	20	" " " " "
226511	1113	♀	Neotoma c. cinerea	" " "	August 6, 1917	383	165	44	" " " " "
226514	1114	♂	Eutamias	" " "	" " "	210	94	33	" " " " "
226516	1115	♂	"	" " "	" " "	193	92	33	" " " " "
226673	1116	♂	Sorex o. obscurus	" " "	" " "	102	43	13	" " " " "
228363	1117	♂	Sciurus	Virginia: Belvoir	Feb. 1, 1918	-	-	-	
234350	1118	♀	"	Michigan: Traverse City	" 22, 1920	324	136	48	About 10 mi. East in woods along Boardman River.
	1119								
	1120								
	1121								
	1122								
	1123								
	1124								
	1125								

End of 1917